

2021 MPFS Proposed Rule RVUs

CPT	Mod	Short Descriptor	2020 Work RVU	2021 Proposed Work RVU	Work RVU Difference	Work RVU % Change	2020 Non-Facility PE RVU	2021 Proposed Non-Facility PE RVU	Non-Facility PE RVU Difference	Non-Facility PE RVU % Change	2020 Facility PE RVUs	2021 Proposed Facility PE RVUs	Facility PE RVU Difference	Facility PE RVU % Change
43197		Esophagoscopy flex dx brush	1.52	1.52	0.00	0%	3.75	4.31	0.56	15%	0.63	0.68	0.05	8%
43198		Esophagosc flex trnsn biopy	1.82	1.82	0.00	0%	4.00	4.61	0.61	15%	0.78	0.84	0.06	8%
43200		Esophagoscopy flexible brush	1.42	1.42	0.00	0%	5.26	6.25	0.99	19%	0.89	0.94	0.05	6%
43201		Esoph scope w/submucous inj	1.72	1.72	0.00	0%	4.93	5.76	0.83	17%	1.02	1.06	0.04	4%
43202		Esophagoscopy flex biopsy	1.72	1.72	0.00	0%	7.69	8.99	1.30	17%	1.02	1.06	0.04	4%
43204		Esoph scope w/sclerosis inj	2.33	2.33	0.00	0%	NA	NA	NA	NA	1.31	1.34	0.03	2%
43205		Esophagus endoscopy/ligation	2.44	2.44	0.00	0%	NA	NA	NA	NA	1.36	1.39	0.03	2%
43206		Esoph optical endomicroscopy	2.29	2.29	0.00	0%	5.60	6.39	0.79	14%	1.29	1.32	0.03	2%
43210		Egd esophagogastrc fndoplsty	7.75	7.75	0.00	0%	NA	NA	NA	NA	3.50	3.56	0.06	2%
43211		Esophagoscop mucosal resect	4.20	4.20	0.00	0%	NA	NA	NA	NA	2.13	2.14	0.01	0%
43212		Esophagoscop stent placement	3.40	3.40	0.00	0%	NA	NA	NA	NA	1.52	1.56	0.04	3%
43213		Esophagoscopy retro balloon	4.63	4.63	0.00	0%	29.72	34.44	4.72	16%	2.21	2.27	0.06	3%
43214		Esophagosc dilate balloon 30	3.40	3.40	0.00	0%	NA	NA	NA	NA	1.75	1.84	0.09	5%
43215		Esophagoscopy flex remove fb	2.44	2.44	0.00	0%	8.16	9.29	1.13	14%	1.29	1.32	0.03	2%
43216		Esophagoscopy lesion removal	2.30	2.30	0.00	0%	8.62	9.99	1.37	16%	1.29	1.32	0.03	2%
43217		Esophagoscopy snare les remv	2.80	2.80	0.00	0%	8.33	9.67	1.34	16%	1.52	1.54	0.02	1%
43220		Esophagoscopy balloon <30mm	2.00	2.00	0.00	0%	26.53	28.74	2.21	8%	1.14	1.19	0.05	4%
43226		Esoph endoscopy dilation	2.24	2.24	0.00	0%	7.63	9.04	1.41	18%	1.19	1.24	0.05	4%
43227		Esophagoscopy control bleed	2.89	2.89	0.00	0%	14.48	16.05	1.57	11%	1.54	1.57	0.03	2%
43229		Esophagoscopy lesion ablate	3.49	3.49	0.00	0%	15.91	18.44	2.53	16%	1.79	1.81	0.02	1%
43231		Esophagoscop ultrasound exam	2.80	2.80	0.00	0%	NA	NA	NA	NA	1.51	1.55	0.04	3%
43232		Esophagoscopy w/us needle bx	3.59	3.59	0.00	0%	NA	NA	NA	NA	1.81	1.82	0.01	1%
43235		Egd diagnostic brush wash	2.09	2.09	0.00	0%	5.63	6.48	0.85	15%	1.19	1.23	0.04	3%
43233		Egd balloon dil esoph30 mm/>	4.07	4.07	0.00	0%	NA	NA	NA	NA	1.98	2.01	0.03	2%
43236		Uppr gi scope w/submuc inj	2.39	2.39	0.00	0%	7.99	9.39	1.40	18%	1.33	1.36	0.03	2%
43237		Endoscopic us exam esoph	3.47	3.47	0.00	0%	NA	NA	NA	NA	1.80	1.83	0.03	2%
43238		Egd us fine needle bx/aspir	4.16	4.16	0.00	0%	NA	NA	NA	NA	2.10	2.13	0.03	1%
43239		Egd biopsy single/multiple	2.39	2.39	0.00	0%	7.96	8.87	0.91	11%	1.32	1.36	0.04	3%
43240		Egd w/transmural drain cyst	7.15	7.15	0.00	0%	NA	NA	NA	NA	3.40	3.43	0.03	1%
43241		Egd tube/cath insertion	2.49	2.49	0.00	0%	NA	NA	NA	NA	1.32	1.35	0.03	2%
43242		Egd us fine needle bx/aspir	4.73	4.73	0.00	0%	NA	NA	NA	NA	2.36	2.38	0.02	1%
43243		Egd injection varices	4.27	4.27	0.00	0%	NA	NA	NA	NA	2.10	2.12	0.02	1%
43244		Egd varices ligation	4.40	4.40	0.00	0%	NA	NA	NA	NA	2.21	2.23	0.02	1%
43245		Egd dilate stricture	3.08	3.08	0.00	0%	13.30	15.14	1.84	14%	1.59	1.62	0.03	2%
43246		Egd place gastrostomy tube	3.56	3.56	0.00	0%	NA	NA	NA	NA	1.73	1.76	0.03	2%
43247		Egd remove foreign body	3.11	3.11	0.00	0%	7.08	8.02	0.94	13%	1.62	1.66	0.04	2%

2021 MPFS Proposed Rule RVUs

CPT	Mod	Short Descriptor	2020 Work RVU	2021 Proposed Work RVU	Work RVU Difference	Work RVU % Change	2020 Non-Facility PE RVU	2021 Proposed Non-Facility PE RVU	Non-Facility PE RVU Difference	Non-Facility PE RVU % Change	2020 Facility PE RVUs	2021 Proposed Facility PE RVUs	Facility PE RVU Difference	Facility PE RVU % Change
43248		Egd guide wire insertion	2.91	2.91	0.00	0%	7.84	9.12	1.28	16%	1.55	1.58	0.03	2%
43249		Esoph egd dilation <30 mm	2.67	2.67	0.00	0%	28.07	32.05	3.98	14%	1.44	1.48	0.04	3%
43250		Egd cautery tumor polyp	2.97	2.97	0.00	0%	8.94	10.41	1.47	16%	1.53	1.57	0.04	3%
43251		Egd remove lesion snare	3.47	3.47	0.00	0%	9.71	11.28	1.57	16%	1.79	1.82	0.03	2%
43252		Egd optical endomicroscopy	2.96	2.96	0.00	0%	5.92	6.74	0.82	14%	1.55	1.59	0.04	3%
43253		Egd us transmural injxn/mark	4.73	4.73	0.00	0%	NA	NA	NA	NA	2.36	2.38	0.02	1%
43254		Egd endo mucosal resection	4.87	4.87	0.00	0%	NA	NA	NA	NA	2.41	2.43	0.02	1%
43255		Egd control bleeding any	3.56	3.56	0.00	0%	14.74	16.25	1.51	10%	1.84	1.86	0.02	1%
43257		Egd w/thrml txmnt gerd	4.15	4.15	0.00	0%	NA	NA	NA	NA	2.06	2.09	0.03	1%
43259		Egd us exam duodenum/jejunum	4.04	4.04	0.00	0%	NA	NA	NA	NA	2.06	2.08	0.02	1%
43266		Egd endoscopic stent place	3.92	3.92	0.00	0%	NA	NA	NA	NA	1.89	1.91	0.02	1%
43270		Egd lesion ablation	4.01	4.01	0.00	0%	15.90	18.39	2.49	16%	2.03	2.06	0.03	1%
43260		Ercp w/specimen collection	5.85	5.85	0.00	0%	NA	NA	NA	NA	2.84	2.86	0.02	1%
43261		Endo cholangiopancreatograph	6.15	6.15	0.00	0%	NA	NA	NA	NA	2.97	2.99	0.02	1%
43262		Endo cholangiopancreatograph	6.50	6.50	0.00	0%	NA	NA	NA	NA	3.13	3.15	0.02	1%
43263		Ercp sphincter pressure meas	6.50	6.50	0.00	0%	NA	NA	NA	NA	3.13	3.09	-0.04	-1%
43264		Ercp remove duct calculi	6.63	6.63	0.00	0%	NA	NA	NA	NA	3.18	3.20	0.02	1%
43265		Ercp lithotripsy calculi	7.93	7.93	0.00	0%	NA	NA	NA	NA	3.74	3.77	0.03	1%
43273		Endoscopic pancreatoscopy	2.24	2.24	0.00	0%	NA	NA	NA	NA	0.98	0.98	0.00	0%
43274		Ercp duct stent placement	8.48	8.48	0.00	0%	NA	NA	NA	NA	3.98	4.01	0.03	1%
43275		Ercp remove forgn body duct	6.86	6.86	0.00	0%	NA	NA	NA	NA	3.27	3.30	0.03	1%
43276		Ercp stent exchange w/dilate	8.84	8.84	0.00	0%	NA	NA	NA	NA	4.14	4.17	0.03	1%
43277		Ercp ea duct/ampulla dilate	6.90	6.90	0.00	0%	NA	NA	NA	NA	3.29	3.32	0.03	1%
43278		Ercp lesion ablate w/dilate	7.92	7.92	0.00	0%	NA	NA	NA	NA	3.74	3.75	0.01	0%
44360		Small bowel endoscopy	2.49	2.49	0.00	0%	NA	NA	NA	NA	1.38	1.41	0.03	2%
44361		Small bowel endoscopy/biopsy	2.77	2.77	0.00	0%	NA	NA	NA	NA	1.50	1.53	0.03	2%
44363		S bowel endoscope/foreign body	3.39	3.39	0.00	0%	NA	NA	NA	NA	1.76	1.78	0.02	1%
44364		Small bowel endoscopy/snare	3.63	3.63	0.00	0%	NA	NA	NA	NA	1.88	1.90	0.02	1%
44365		S bowel endoscope/hot biopsy	3.21	3.21	0.00	0%	NA	NA	NA	NA	1.69	1.72	0.03	2%
44366		S bowel endoscope/ctrl bleeding	4.30	4.30	0.00	0%	NA	NA	NA	NA	2.17	2.19	0.02	1%
44369		Small bowel endoscopy/ablate	4.41	4.41	0.00	0%	NA	NA	NA	NA	2.22	2.24	0.02	1%
44370		Small bowel endoscopy/stent	4.69	4.69	0.00	0%	NA	NA	NA	NA	2.49	2.52	0.03	1%
44372		S bowel endoscope/place J-tube	4.30	4.30	0.00	0%	NA	NA	NA	NA	2.10	2.12	0.02	1%
44373		S bowel endoscope/convert J-tube	3.39	3.39	0.00	0%	NA	NA	NA	NA	1.73	1.76	0.03	2%
44376		S bowel endoscopy, enteroscopy	5.15	5.15	0.00	0%	NA	NA	NA	NA	2.51	2.55	0.04	2%
44377		S bowel endoscopy, enteroscopy/bx	5.42	5.42	0.00	0%	NA	NA	NA	NA	2.63	2.65	0.02	1%

2021 MPFS Proposed Rule RVUs

CPT	Mod	Short Descriptor	2020 Work RVU	2021 Proposed Work RVU	Work RVU Difference	Work RVU % Change	2020 Non-Facility PE RVU	2021 Proposed Non-Facility PE RVU	Non-Facility PE RVU Difference	Non-Facility PE RVU % Change	2020 Facility PE RVUs	2021 Proposed Facility PE RVUs	Facility PE RVU Difference	Facility PE RVU % Change
44378		S bowel endoscope/ctrl bleeding	7.02	7.02	0.00	0%	NA	NA	NA	NA	3.35	3.38	0.03	1%
44379		S bowel endoscope, enteroscopy/stent	7.36	7.36	0.00	0%	NA	NA	NA	NA	3.65	3.68	0.03	1%
44380		Ileoscopy thru stoma	0.87	0.87	0.00	0%	4.24	4.86	0.62	15%	0.65	0.68	0.03	5%
44381		Small bowel endoscopy br/wa	1.38	1.38	0.00	0%	26.34	30.17	3.83	15%	0.86	0.89	0.03	3%
44382		Ileoscopy thru stoma/biopsy	1.17	1.17	0.00	0%	6.84	7.81	0.97	14%	0.80	0.83	0.03	4%
44384		Small bowel endoscopy	2.85	2.85	0.00	0%	NA	NA	NA	NA	1.25	1.35	0.10	8%
44385		Endoscopy of bowel pouch	1.20	1.20	0.00	0%	4.36	4.98	0.62	14%	0.73	0.75	0.02	3%
44386		Endoscopy bowel pouch/biop	1.50	1.50	0.00	0%	6.86	7.81	0.95	14%	0.89	0.90	0.01	1%
44388		C-stoma	2.72	2.72	0.00	0%	5.57	6.25	0.68	12%	1.40	1.44	0.04	3%
44388	53	C-stoma	1.36	1.36	0.00	0%	3.55	3.13	-0.42	-12%	0.71	0.72	0.01	1%
44389		C-stoma with biopsy	3.02	3.02	0.00	0%	8.03	9.07	1.04	13%	1.56	1.59	0.03	2%
44390		C-stoma for foreign body	3.74	3.74	0.00	0%	7.08	7.93	0.85	12%	1.93	1.94	0.01	1%
44391		C-stoma for bleeding	4.12	4.12	0.00	0%	14.69	16.01	1.32	9%	2.07	2.09	0.02	1%
44392		C-stoma & polypectomy	3.53	3.53	0.00	0%	6.52	7.47	0.95	15%	1.72	1.75	0.03	2%
44394		C-stoma w/snare	4.03	4.03	0.00	0%	7.57	8.62	1.05	14%	1.98	2.00	0.02	1%
44401		C-stoma with ablation	4.34	4.34	0.00	0%	75.42	79.18	3.76	5%	2.19	2.21	0.02	1%
44402		C-stoma w/stent plcmt	4.70	4.70	0.00	0%	NA	NA	NA	NA	2.35	2.36	0.01	0%
44403		C-stoma w/resection	5.50	5.50	0.00	0%	NA	NA	NA	NA	2.69	2.71	0.02	1%
44404		C-stoma w/injection	3.02	3.02	0.00	0%	7.98	9.16	1.18	15%	1.57	1.60	0.03	2%
44405		C-stoma w/dilation	3.23	3.23	0.00	0%	12.33	13.80	1.47	12%	1.70	1.72	0.02	1%
44406		C-stoma w/ultrasound	4.10	4.10	0.00	0%	NA	NA	NA	NA	2.08	2.10	0.02	1%
44407		C-stoma w/ndl aspir/bx	4.96	4.96	0.00	0%	NA	NA	NA	NA	2.46	2.48	0.02	1%
44408		C-stoma w/decompression	4.14	4.14	0.00	0%	NA	NA	NA	NA	2.10	2.12	0.02	1%
45330		Diagnostic sigmoidoscopy	0.84	0.84	0.00	0%	4.03	4.59	0.56	14%	0.66	0.68	0.02	3%
45331		Sigmoidoscopy and biopsy	1.14	1.14	0.00	0%	6.56	7.52	0.96	15%	0.79	0.81	0.02	3%
45332		Sigmoidoscopy w/fb removal	1.76	1.76	0.00	0%	5.54	6.29	0.75	14%	1.04	1.07	0.03	3%
45333		Sigmoidoscopy & polypectomy	1.55	1.55	0.00	0%	7.15	8.26	1.11	16%	0.94	0.97	0.03	3%
45334		Sigmoidoscopy for bleeding	2.00	2.00	0.00	0%	12.80	13.93	1.13	9%	1.15	1.18	0.03	3%
45335		Sigmoidoscopy w/submuc inj	1.04	1.04	0.00	0%	6.41	7.54	1.13	18%	0.74	0.76	0.02	3%
45337		Sigmoidoscopy & decompress	2.10	2.10	0.00	0%	NA	NA	NA	NA	0.97	0.98	0.01	1%
45338		Sigmoidoscopy w/tumr remove	2.05	2.05	0.00	0%	5.76	6.66	0.90	16%	1.16	1.19	0.03	3%
45340		Sig w/balloon dilation	1.25	1.25	0.00	0%	11.51	13.06	1.55	13%	0.83	0.85	0.02	2%
45341		Sigmoidoscopy w/ultrasound	2.12	2.12	0.00	0%	NA	NA	NA	NA	1.21	1.24	0.03	2%
45342		Sigmoidoscopy w/us guide bx	2.98	2.98	0.00	0%	NA	NA	NA	NA	1.59	1.63	0.04	3%
45346		Sigmoidoscopy w/ablation	2.81	2.81	0.00	0%	75.13	78.70	3.57	5%	1.49	1.53	0.04	3%
45347		Sigmoidoscopy w/plcmt stent	2.72	2.72	0.00	0%	NA	NA	NA	NA	1.42	1.45	0.03	2%

2021 MPFS Proposed Rule RVUs

CPT	Mod	Short Descriptor	2020 Work RVU	2021 Proposed Work RVU	Work RVU Difference	Work RVU % Change	2020 Non-Facility PE RVU	2021 Proposed Non-Facility PE RVU	Non-Facility PE RVU Difference	Non-Facility PE RVU % Change	2020 Facility PE RVUs	2021 Proposed Facility PE RVUs	Facility PE RVU Difference	Facility PE RVU % Change
45349		Sigmoidoscopy w/resection	3.52	3.52	0.00	0%	NA	NA	NA	NA	1.82	1.84	0.02	1%
45350		Sgmdsc w/band ligation	1.68	1.68	0.00	0%	15.91	18.87	2.96	19%	1.02	1.04	0.02	2%
45378		Diagnostic colonoscopy	3.26	3.26	0.00	0%	5.75	6.43	0.68	12%	1.68	1.70	0.02	1%
45378	53	Diagnostic colonoscopy	1.63	1.63	0.00	0%	3.56	3.22	-0.34	-10%	0.84	0.85	0.01	1%
45379		Colonoscopy w/fb removal	4.28	4.28	0.00	0%	7.36	8.22	0.86	12%	2.12	2.14	0.02	1%
45380		Colonoscopy and biopsy	3.56	3.56	0.00	0%	8.16	9.18	1.02	13%	1.82	1.85	0.03	2%
45381		Colonoscopy submucous inj	3.56	3.56	0.00	0%	8.07	9.29	1.22	15%	1.82	1.85	0.03	2%
45382		Colonoscopy/control bleeding	4.66	4.66	0.00	0%	14.85	16.17	1.32	9%	2.31	2.33	0.02	1%
45384		Lesion remove colonoscopy	4.07	4.07	0.00	0%	8.90	10.19	1.29	14%	1.97	2.00	0.03	2%
45385		Lesion removal colonoscopy	4.57	4.57	0.00	0%	7.58	8.59	1.01	13%	2.26	2.28	0.02	1%
45386		Colonoscopy dilate stricture	3.77	3.77	0.00	0%	13.20	14.85	1.65	13%	1.90	1.92	0.02	1%
45388		Colonoscopy w/ablation	4.88	4.88	0.00	0%	77.42	81.37	3.95	5%	2.35	2.38	0.03	1%
45389		Colonoscopy w/stent plcmt	5.24	5.24	0.00	0%	NA	NA	NA	NA	2.53	2.56	0.03	1%
45390		Colonoscopy w/resection	6.04	6.04	0.00	0%	NA	NA	NA	NA	2.92	2.94	0.02	1%
45391		Colonoscopy w/endoscope us	4.64	4.64	0.00	0%	NA	NA	NA	NA	2.30	2.33	0.03	1%
45392		Colonoscopy w/endoscopic fnb	5.50	5.50	0.00	0%	NA	NA	NA	NA	2.68	2.71	0.03	1%
45393		Colonoscopy w/decompression	4.68	4.68	0.00	0%	NA	NA	NA	NA	2.05	2.06	0.01	0%
45398		Colonoscopy w/band ligation	4.20	4.20	0.00	0%	17.55	20.65	3.10	18%	2.01	2.04	0.03	1%
74261		Ct colonography dx	2.40	2.40	0.00	0%	10.91	11.48	0.57	5%	NA	NA	NA	NA
74261	TC	Ct colonography dx	0.00	0.00	0.00	#DIV/0!	10.02	10.64	0.62	6%	NA	NA	NA	NA
74261	26	Ct colonography dx	2.40	2.40	0.00	0%	0.89	0.84	-0.05	-6%	0.89	0.84	-0.05	-6%
74262		Ct colonography dx w/dye	2.50	2.50	0.00	0%	12.48	13.18	0.70	6%	NA	NA	NA	NA
74262	TC	Ct colonography dx w/dye	0.00	0.00	0.00	#DIV/0!	11.55	12.30	0.75	6%	NA	NA	NA	NA
74262	26	Ct colonography dx w/dye	2.50	2.50	0.00	0%	0.93	0.88	-0.05	-5%	0.93	0.88	-0.05	-5%
74263		Ct colonography screening	2.28	2.28	0.00	0%	18.76	20.59	1.83	10%	NA	NA	NA	NA
74263	TC	Ct colonography screening	0.00	0.00	0.00	#DIV/0!	17.88	19.70	1.82	10%	NA	NA	NA	NA
74263	26	Ct colonography screening	2.28	2.28	0.00	0%	0.88	0.89	0.01	1%	0.88	0.89	0.01	1%
88304		Tissue exam by pathologist	0.22	0.22	0.00	0%	0.92	0.98	0.06	7%	NA	NA	NA	NA
88304	TC	Tissue exam by pathologist	0.00	0.00	0.00	#DIV/0!	0.82	0.89	0.07	9%	NA	NA	NA	NA
88304	26	Tissue exam by pathologist	0.22	0.22	0.00	0%	0.10	0.09	-0.01	-10%	0.10	0.09	-0.01	-10%
88305		Tissue exam by pathologist	0.75	0.75	0.00	0%	1.21	1.30	0.09	7%	NA	NA	NA	NA
88305	TC	Tissue exam by pathologist	0.00	0.00	0.00	#DIV/0!	0.88	0.99	0.11	13%	NA	NA	NA	NA
88305	26	Tissue exam by pathologist	0.75	0.75	0.00	0%	0.33	0.31	-0.02	-6%	0.33	0.31	-0.02	-6%
91010		Esophagus motility study	1.28	1.28	0.00	0%	4.34	5.11	0.77	18%	NA	NA	NA	NA
91010	TC	Esophagus motility study	0.00	0.00	0.00	#DIV/0!	3.79	4.56	0.77	20%	NA	NA	NA	NA
91010	26	Esophagus motility study	1.28	1.28	0.00	0%	0.55	0.55	0.00	0%	0.55	0.55	0.00	0%

2021 MPFS Proposed Rule RVUs

CPT	Mod	Short Descriptor	2020 Work RVU	2021 Proposed Work RVU	Work RVU Difference	Work RVU % Change	2020 Non-Facility PE RVU	2021 Proposed Non-Facility PE RVU	Non-Facility PE RVU Difference	Non-Facility PE RVU % Change	2020 Facility PE RVUs	2021 Proposed Facility PE RVUs	Facility PE RVU Difference	Facility PE RVU % Change
91013		Esophgl motil w/stim/perfus	0.18	0.18	0.00	0%	0.54	0.60	0.06	11%	NA	NA	NA	NA
91013	TC	Esophgl motil w/stim/perfus	0.00	0.00	0.00	#DIV/0!	0.46	0.52	0.06	13%	NA	NA	NA	NA
91013	26	Esophgl motil w/stim/perfus	0.18	0.18	0.00	0%	0.08	0.08	0.00	0%	0.08	0.08	0.00	0%
91020		Gastric motility studies	1.44	1.44	0.00	0%	5.84	6.75	0.91	16%	NA	NA	NA	NA
91020	TC	Gastric motility studies	0.00	0.00	0.00	#DIV/0!	5.21	6.12	0.91	17%	NA	NA	NA	NA
91020	26	Gastric motility studies	1.44	1.44	0.00	0%	0.63	0.63	0.00	0%	0.63	0.63	0.00	0%
91022		Duodenal motility study	1.44	1.44	0.00	0%	3.26	3.54	0.28	9%	NA	NA	NA	NA
91022	TC	Duodenal motility study	0.00	0.00	0.00	#DIV/0!	2.63	2.91	0.28	11%	NA	NA	NA	NA
91022	26	Duodenal motility study	1.44	1.44	0.00	0%	0.63	0.63	0.00	0%	0.63	0.63	0.00	0%
91030		Acid perfusion of esophagus	0.91	0.91	0.00	0%	2.98	3.28	0.30	10%	NA	NA	NA	NA
91030	TC	Acid perfusion of esophagus	0.00	0.00	0.00	#DIV/0!	2.58	2.88	0.30	12%	NA	NA	NA	NA
91030	26	Acid perfusion of esophagus	0.91	0.91	0.00	0%	0.40	0.40	0.00	0%	0.40	0.40	0.00	0%
91034		Gastroesophageal reflux test	0.97	0.97	0.00	0%	4.37	4.94	0.57	13%	NA	NA	NA	NA
91034	TC	Gastroesophageal reflux test	0.00	0.00	0.00	#DIV/0!	3.96	4.52	0.56	14%	NA	NA	NA	NA
91034	26	Gastroesophageal reflux test	0.97	0.97	0.00	0%	0.41	0.42	0.01	2%	0.41	0.42	0.01	2%
91035		G-esoph reflx tst w/electrod	1.59	1.59	0.00	0%	12.00	13.27	1.27	11%	NA	NA	NA	NA
91035	TC	G-esoph reflx tst w/electrod	0.00	0.00	0.00	#DIV/0!	11.33	12.60	1.27	11%	NA	NA	NA	NA
91035	26	G-esoph reflx tst w/electrod	1.59	1.59	0.00	0%	0.67	0.67	0.00	0%	0.67	0.67	0.00	0%
91037		Esoph imped function test	0.97	0.97	0.00	0%	3.68	4.11	0.43	12%	NA	NA	NA	NA
91037	TC	Esoph imped function test	0.00	0.00	0.00	#DIV/0!	3.27	3.70	0.43	13%	NA	NA	NA	NA
91037	26	Esoph imped function test	0.97	0.97	0.00	0%	0.41	0.41	0.00	0%	0.41	0.41	0.00	0%
91038		Esoph imped funct test > 1hr	1.10	1.10	0.00	0%	11.29	12.32	1.03	9%	NA	NA	NA	NA
91038	TC	Esoph imped funct test > 1hr	0.00	0.00	0.00	#DIV/0!	10.82	11.85	1.03	10%	NA	NA	NA	NA
91038	26	Esoph imped funct test > 1hr	1.10	1.10	0.00	0%	0.47	0.47	0.00	0%	0.47	0.47	0.00	0%
91040		Esoph balloon distension tst	0.97	0.97	0.00	0%	13.34	15.47	2.13	16%	NA	NA	NA	NA
91040	TC	Esoph balloon distension tst	0.00	0.00	0.00	#DIV/0!	12.93	15.07	2.14	17%	NA	NA	NA	NA
91040	26	Esoph balloon distension tst	0.97	0.97	0.00	0%	0.41	0.40	-0.01	-2%	0.41	0.40	-0.01	-2%
91065		Breath hydrogen/methane test	0.20	0.20	0.00	0%	2.04	2.47	0.43	21%	NA	NA	NA	NA
91065	TC	Breath hydrogen/methane test	0.00	0.00	0.00	#DIV/0!	1.96	2.39	0.43	22%	NA	NA	NA	NA
91065	26	Breath hydrogen/methane test	0.20	0.20	0.00	0%	0.08	0.08	0.00	0%	0.08	0.08	0.00	0%
91110		Gi tract capsule endoscopy	2.49	2.49	0.00	0%	21.78	23.37	1.59	7%	NA	NA	NA	NA
91110	TC	Gi tract capsule endoscopy	0.00	0.00	0.00	#DIV/0!	20.70	22.29	1.59	8%	NA	NA	NA	NA
91110	26	Gi tract capsule endoscopy	2.49	2.49	0.00	0%	1.08	1.08	0.00	0%	1.08	1.08	0.00	0%
91111		Esophageal capsule endoscopy	1.00	1.00	0.00	0%	23.42	27.52	4.10	18%	NA	NA	NA	NA
91111	TC	Esophageal capsule endoscopy	0.00	0.00	0.00	#DIV/0!	22.99	27.08	4.09	18%	NA	NA	NA	NA
91111	26	Esophageal capsule endoscopy	1.00	1.00	0.00	0%	0.43	0.44	0.01	2%	0.43	0.44	0.01	2%

2021 MPFS Proposed Rule RVUs

CPT	Mod	Short Descriptor	2020 Work RVU	2021 Proposed Work RVU	Work RVU Difference	Work RVU % Change	2020 Non-Facility PE RVU	2021 Proposed Non-Facility PE RVU	Non-Facility PE RVU Difference	Non-Facility PE RVU % Change	2020 Facility PE RVUs	2021 Proposed Facility PE RVUs	Facility PE RVU Difference	Facility PE RVU % Change
91112		Gi wireless capsule measure	2.10	2.10	0.00	0%	38.80	48.30	9.50	24%	NA	NA	NA	NA
91112	TC	Gi wireless capsule measure	0.00	0.00	0.00	#DIV/0!	37.89	47.39	9.50	25%	NA	NA	NA	NA
91112	26	Gi wireless capsule measure	2.10	2.10	0.00	0%	0.91	0.91	0.00	0%	0.91	0.91	0.00	0%
91117		Colon motility 6 hr study	2.45	2.45	0.00	0%	NA	NA	NA	NA	1.32	1.35	0.03	2%
91120		Rectal sensation test	0.97	0.97	0.00	0%	12.76	15.05	2.29	18%	NA	NA	NA	NA
91120	TC	Rectal sensation test	0.00	0.00	0.00	#DIV/0!	12.37	14.65	2.28	18%	NA	NA	NA	NA
91120	26	Rectal sensation test	0.97	0.97	0.00	0%	0.39	0.40	0.01	3%	0.39	0.40	0.01	3%
91122		Anal pressure record	1.77	1.77	0.00	0%	5.25	6.21	0.96	18%	NA	NA	NA	NA
91122	TC	Anal pressure record	0.00	0.00	0.00	#DIV/0!	4.56	5.50	0.94	21%	NA	NA	NA	NA
91122	26	Anal pressure record	1.77	1.77	0.00	0%	0.69	0.71	0.02	3%	0.69	0.71	0.02	3%
91132		Electrogastrography	0.52	0.52	0.00	0%	8.61	12.03	3.42	40%	NA	NA	NA	NA
91132	TC	Electrogastrography	0.00	0.00	0.00	#DIV/0!	8.38	11.80	3.42	41%	NA	NA	NA	NA
91132	26	Electrogastrography	0.52	0.52	0.00	0%	0.23	0.23	0.00	0%	0.23	0.23	0.00	0%
91133		Electrogastrography w/test	0.66	0.66	0.00	0%	9.13	12.57	3.44	38%	NA	NA	NA	NA
91133	TC	Electrogastrography w/test	0.00	0.00	0.00	#DIV/0!	8.84	12.28	3.44	39%	NA	NA	NA	NA
91133	26	Electrogastrography w/test	0.66	0.66	0.00	0%	0.29	0.29	0.00	0%	0.29	0.29	0.00	0%
91200		Liver elastography	0.27	0.21	-0.06	-22%	0.76	0.67	-0.09	-12%	NA	NA	NA	NA
91200	TC	Liver elastography	0.00	0.00	0.00	#DIV/0!	0.64	0.57	-0.07	-11%	NA	NA	NA	NA
91200	26	Liver elastography	0.27	0.21	-0.06	-22%	0.12	0.10	-0.02	-17%	0.12	0.10	-0.02	-17%
96360		Hydration iv infusion init	0.17	0.17	0.00	0%	0.77	0.91	0.14	18%	NA	NA	NA	NA
96361		Hydrate iv infusion add-on	0.09	0.09	0.00	0%	0.28	0.32	0.04	14%	NA	NA	NA	NA
96365		Ther/proph/diag iv inf init	0.21	0.21	0.00	0%	1.74	1.98	0.24	14%	NA	NA	NA	NA
96366		Ther/proph/diag iv inf add-on	0.18	0.18	0.00	0%	0.42	0.48	0.06	14%	NA	NA	NA	NA
96367		Tx/proph/dg addl seq iv inf	0.19	0.19	0.00	0%	0.66	0.77	0.11	17%	NA	NA	NA	NA
96368		Ther/diag concurrent inf	0.17	0.17	0.00	0%	0.41	0.46	0.05	12%	NA	NA	NA	NA
96369		Sc ther infusion up to 1 hr	0.21	0.21	0.00	0%	4.26	4.62	0.36	8%	NA	NA	NA	NA
96370		Sc ther infusion addl hr	0.18	0.18	0.00	0%	0.24	0.27	0.03	13%	NA	NA	NA	NA
96371		Sc ther infusion reset pump	0.00	0.00	0.00	#DIV/0!	1.79	2.03	0.24	13%	NA	NA	NA	NA
96372		Ther/proph/diag inj sc/im	0.17	0.17	0.00	0%	0.22	0.24	0.02	9%	NA	NA	NA	NA
96413		Chemo iv infusion 1 hr	0.28	0.28	0.00	0%	3.58	4.16	0.58	16%	NA	NA	NA	NA
96415		Chemo iv infusion addl hr	0.19	0.19	0.00	0%	0.64	0.74	0.10	16%	NA	NA	NA	NA
96570		Photodynmc tx 30 min add-on	1.10	1.10	0.00	0%	0.34	0.34	0.00	0%	0.34	0.34	0.00	0%
96571		Photodynamic tx addl 15 min	0.55	0.55	0.00	0%	0.15	0.16	0.01	7%	0.15	0.16	0.01	7%
G0104		Ca screen;flexi sigmoidscope	0.84	0.84	0.00	0%	4.03	4.59	0.56	14%	0.66	0.68	0.02	3%
G0105		Colorectal scrn; hi risk ind	3.26	3.26	0.00	0%	5.75	6.43	0.68	12%	1.68	1.70	0.02	1%
G0105	53	Colorectal scrn; hi risk ind	1.63	1.63	0.00	0%	3.56	3.22	-0.34	-10%	0.84	0.85	0.01	1%

2021 MPFS Proposed Rule RVUs

CPT	Mod	Short Descriptor	2020 Work RVU	2021 Proposed Work RVU	Work RVU Difference	Work RVU % Change	2020 Non-Facility PE RVU	2021 Proposed Non-Facility PE RVU	Non-Facility PE RVU Difference	Non-Facility PE RVU % Change	2020 Facility PE RVUs	2021 Proposed Facility PE RVUs	Facility PE RVU Difference	Facility PE RVU % Change
G0121		Colon ca scrn not hi rsk ind	3.26	3.26	0.00	0%	5.75	6.43	0.68	12%	1.68	1.70	0.02	1%
G0121	53	Colon ca scrn not hi rsk ind	1.63	1.63	0.00	0%	6.78	3.22	-3.56	-53%	0.84	0.85	0.01	1%

2021 MPFS Proposed Rule RVUs

CPT	Mod	Short Descriptor	2020 Malpractice RVU	2021 Proposed Malpractice RVU	Malpractice RVU Difference	Malpractice RVU % Change
43197		Esophagoscopy flex dx brush	0.25	0.24	-0.01	-4%
43198		Esophagosc flex trnsn biopy	0.26	0.26	0.00	0%
43200		Esophagoscopy flexible brush	0.21	0.21	0.00	0%
43201		Esoph scope w/submucous inj	0.24	0.24	0.00	0%
43202		Esophagoscopy flex biopsy	0.23	0.23	0.00	0%
43204		Esoph scope w/sclerosis inj	0.26	0.26	0.00	0%
43205		Esophagus endoscopy/ligation	0.27	0.26	-0.01	-4%
43206		Esoph optical endomicroscopy	0.25	0.26	0.01	4%
43210		Egd esophagogastrc fndoplsty	1.26	1.31	0.05	4%
43211		Esophagoscop mucosal resect	0.44	0.46	0.02	5%
43212		Esophagoscop stent placement	0.56	0.59	0.03	5%
43213		Esophagoscopy retro balloon	0.64	0.69	0.05	8%
43214		Esophagosc dilate balloon 30	0.41	0.44	0.03	7%
43215		Esophagoscopy flex remove fb	0.35	0.36	0.01	3%
43216		Esophagoscopy lesion removal	0.27	0.28	0.01	4%
43217		Esophagoscopy snare les rmv	0.30	0.31	0.01	3%
43220		Esophagoscopy balloon <30mm	0.26	0.26	0.00	0%
43226		Esoph endoscopy dilation	0.32	0.34	0.02	6%
43227		Esophagoscopy control bleed	0.32	0.34	0.02	6%
43229		Esophagoscopy lesion ablate	0.42	0.44	0.02	5%
43231		Esophagoscop ultrasound exam	0.28	0.30	0.02	7%
43232		Esophagoscopy w/us needle bx	0.35	0.39	0.04	11%
43235		Egd diagnostic brush wash	0.26	0.26	0.00	0%
43233		Egd balloon dil esoph30 mm/>	0.57	0.61	0.04	7%
43236		Uppr gi scope w/submuc inj	0.27	0.28	0.01	4%
43237		Endoscopic us exam esoph	0.37	0.41	0.04	11%
43238		Egd us fine needle bx/aspir	0.44	0.45	0.01	2%
43239		Egd biopsy single/multiple	0.28	0.28	0.00	0%
43240		Egd w/transmural drain cyst	0.78	0.79	0.01	1%
43241		Egd tube/cath insertion	0.28	0.31	0.03	11%
43242		Egd us fine needle bx/aspir	0.49	0.52	0.03	6%
43243		Egd injection varices	0.48	0.51	0.03	6%
43244		Egd varices ligation	0.47	0.47	0.00	0%
43245		Egd dilate stricture	0.41	0.43	0.02	5%
43246		Egd place gastrostomy tube	0.51	0.52	0.01	2%
43247		Egd remove foreign body	0.38	0.39	0.01	3%

2021 MPFS Proposed Rule RVUs

CPT	Mod	Short Descriptor	2020 Malpractice RVU	2021 Proposed Malpractice RVU	Malpractice RVU Difference	Malpractice RVU % Change
43248		Egd guide wire insertion	0.32	0.33	0.01	3%
43249		Esoph egd dilation <30 mm	0.31	0.32	0.01	3%
43250		Egd cautery tumor polyp	0.44	0.44	0.00	0%
43251		Egd remove lesion snare	0.40	0.42	0.02	5%
43252		Egd optical endomicroscopy	0.37	0.38	0.01	3%
43253		Egd us transmural injxn/mark	0.51	0.53	0.02	4%
43254		Egd endo mucosal resection	0.52	0.55	0.03	6%
43255		Egd control bleeding any	0.39	0.42	0.03	8%
43257		Egd w/thrml txmnt gerd	0.53	0.52	-0.01	-2%
43259		Egd us exam duodenum/jejunum	0.43	0.44	0.01	2%
43266		Egd endoscopic stent place	0.48	0.49	0.01	2%
43270		Egd lesion ablation	0.44	0.45	0.01	2%
43260		Ercp w/specimen collection	0.62	0.65	0.03	5%
43261		Endo cholangiopancreatograph	0.64	0.68	0.04	6%
43262		Endo cholangiopancreatograph	0.67	0.71	0.04	6%
43263		Ercp sphincter pressure meas	0.67	0.76	0.09	13%
43264		Ercp remove duct calculi	0.68	0.74	0.06	9%
43265		Ercp lithotripsy calculi	0.84	0.88	0.04	5%
43273		Endoscopic pancreatoscopy	0.25	0.25	0.00	0%
43274		Ercp duct stent placement	0.90	0.96	0.06	7%
43275		Ercp remove forgn body duct	0.73	0.77	0.04	5%
43276		Ercp stent exchange w/dilate	0.92	0.98	0.06	7%
43277		Ercp ea duct/ampulla dilate	0.73	0.76	0.03	4%
43278		Ercp lesion ablate w/dilate	0.85	0.88	0.03	4%
44360		Small bowel endoscopy	0.27	0.28	0.01	4%
44361		Small bowel endoscopy/biopsy	0.30	0.31	0.01	3%
44363		S bowel endoscope/foreign body	0.39	0.42	0.03	8%
44364		Small bowel endoscopy/snare	0.39	0.42	0.03	8%
44365		S bowel endoscope/hot biopsy	0.34	0.36	0.02	6%
44366		S bowel endoscope/ctrl bleeding	0.46	0.46	0.00	0%
44369		Small bowel endoscopy/ablate	0.47	0.47	0.00	0%
44370		Small bowel endoscopy/stent	0.51	0.52	0.01	2%
44372		S bowel endoscope/place J-tube	0.53	0.54	0.01	2%
44373		S bowel endoscope/convert J-tube	0.43	0.44	0.01	2%
44376		S bowel endoscopy, enteroscopy	0.54	0.56	0.02	4%
44377		S bowel endoscopy, enteroscopy/bx	0.58	0.61	0.03	5%

2021 MPFS Proposed Rule RVUs

CPT	Mod	Short Descriptor	2020 Malpractice RVU	2021 Proposed Malpractice RVU	Malpractice RVU Difference	Malpractice RVU % Change
44378		S bowel endoscope/ctrl bleeding	0.73	0.77	0.04	5%
44379		S bowel endoscope, enteroscopy/stent	0.79	0.81	0.02	3%
44380		Ileoscopy thru stoma	0.09	0.11	0.02	22%
44381		Small bowel endoscopy br/wa	0.16	0.18	0.02	13%
44382		Ileoscopy thru stoma/biopsy	0.13	0.13	0.00	0%
44384		Small bowel endoscopy	0.34	0.35	0.01	3%
44385		Endoscopy of bowel pouch	0.15	0.15	0.00	0%
44386		Endoscopy bowel pouch/biop	0.18	0.19	0.01	6%
44388		C-stoma	0.40	0.42	0.02	5%
44388	53	C-stoma	0.18	0.21	0.03	17%
44389		C-stoma with biopsy	0.39	0.41	0.02	5%
44390		C-stoma for foreign body	0.40	0.43	0.03	7%
44391		C-stoma for bleeding	0.46	0.47	0.01	2%
44392		C-stoma & polypectomy	0.53	0.52	-0.01	-2%
44394		C-stoma w/snare	0.51	0.52	0.01	2%
44401		C-stoma with ablation	0.47	0.47	0.00	0%
44402		C-stoma w/stent plcmt	0.51	0.52	0.01	2%
44403		C-stoma w/resection	0.58	0.61	0.03	5%
44404		C-stoma w/injection	0.38	0.39	0.01	3%
44405		C-stoma w/dilation	0.35	0.36	0.01	3%
44406		C-stoma w/ultrasound	0.44	0.45	0.01	2%
44407		C-stoma w/ndl aspir/bx	0.53	0.55	0.02	4%
44408		C-stoma w/decompression	0.44	0.45	0.01	2%
45330		Diagnostic sigmoidoscopy	0.11	0.11	0.00	0%
45331		Sigmoidoscopy and biopsy	0.13	0.13	0.00	0%
45332		Sigmoidoscopy w/fb removal	0.24	0.24	0.00	0%
45333		Sigmoidoscopy & polypectomy	0.22	0.22	0.00	0%
45334		Sigmoidoscopy for bleeding	0.23	0.24	0.01	4%
45335		Sigmoidoscopy w/submuc inj	0.13	0.13	0.00	0%
45337		Sigmoidoscopy & decompress	0.27	0.26	-0.01	-4%
45338		Sigmoidoscopy w/tumr remove	0.26	0.26	0.00	0%
45340		Sig w/balloon dilation	0.16	0.16	0.00	0%
45341		Sigmoidoscopy w/ultrasound	0.24	0.24	0.00	0%
45342		Sigmoidoscopy w/us guide bx	0.32	0.33	0.01	3%
45346		Sigmoidoscopy w/ablation	0.32	0.33	0.01	3%
45347		Sigmoidoscopy w/plcmt stent	0.30	0.31	0.01	3%

2021 MPFS Proposed Rule RVUs

CPT	Mod	Short Descriptor	2020 Malpractice RVU	2021 Proposed Malpractice RVU	Malpractice RVU Difference	Malpractice RVU % Change
45349		Sigmoidoscopy w/resection	0.39	0.42	0.03	8%
45350		Sgmdsc w/band ligation	0.22	0.21	-0.01	-5%
45378		Diagnostic colonoscopy	0.41	0.43	0.02	5%
45378	53	Diagnostic colonoscopy	0.19	0.21	0.02	11%
45379		Colonoscopy w/fb removal	0.51	0.52	0.01	2%
45380		Colonoscopy and biopsy	0.41	0.43	0.02	5%
45381		Colonoscopy submucous inj	0.41	0.43	0.02	5%
45382		Colonoscopy/control bleeding	0.51	0.53	0.02	4%
45384		Lesion remove colonoscopy	0.56	0.58	0.02	4%
45385		Lesion removal colonoscopy	0.52	0.54	0.02	4%
45386		Colonoscopy dilate stricture	0.44	0.45	0.01	2%
45388		Colonoscopy w/ablation	0.60	0.61	0.01	2%
45389		Colonoscopy w/stent plcmt	0.60	0.61	0.01	2%
45390		Colonoscopy w/resection	0.63	0.67	0.04	6%
45391		Colonoscopy w/endoscope us	0.49	0.51	0.02	4%
45392		Colonoscopy w/endoscopic fnb	0.60	0.64	0.04	7%
45393		Colonoscopy w/decompression	0.58	0.60	0.02	3%
45398		Colonoscopy w/band ligation	0.62	0.62	0.00	0%
74261		Ct colonography dx	0.13	0.13	0.00	0%
74261	TC	Ct colonography dx	0.02	0.02	0.00	0%
74261	26	Ct colonography dx	0.11	0.11	0.00	0%
74262		Ct colonography dx w/dye	0.13	0.15	0.02	15%
74262	TC	Ct colonography dx w/dye	0.02	0.03	0.01	50%
74262	26	Ct colonography dx w/dye	0.11	0.12	0.01	9%
74263		Ct colonography screening	0.11	0.13	0.02	18%
74263	TC	Ct colonography screening	0.02	0.02	0.00	0%
74263	26	Ct colonography screening	0.09	0.11	0.02	22%
88304		Tissue exam by pathologist	0.02	0.02	0.00	0%
88304	TC	Tissue exam by pathologist	0.01	0.01	0.00	0%
88304	26	Tissue exam by pathologist	0.01	0.01	0.00	0%
88305		Tissue exam by pathologist	0.02	0.02	0.00	0%
88305	TC	Tissue exam by pathologist	0.01	0.01	0.00	0%
88305	26	Tissue exam by pathologist	0.01	0.01	0.00	0%
91010		Esophagus motility study	0.08	0.09	0.01	13%
91010	TC	Esophagus motility study	0.02	0.02	0.00	0%
91010	26	Esophagus motility study	0.06	0.07	0.01	17%

2021 MPFS Proposed Rule RVUs

CPT	Mod	Short Descriptor	2020 Malpractice RVU	2021 Proposed Malpractice RVU	Malpractice RVU Difference	Malpractice RVU % Change
91013		Esophgl motil w/stim/perfus	0.01	0.01	0.00	0%
91013	TC	Esophgl motil w/stim/perfus	0.00	0.00	0.00	#DIV/0!
91013	26	Esophgl motil w/stim/perfus	0.01	0.01	0.00	0%
91020		Gastric motility studies	0.07	0.07	0.00	0%
91020	TC	Gastric motility studies	0.02	0.02	0.00	0%
91020	26	Gastric motility studies	0.05	0.05	0.00	0%
91022		Duodenal motility study	0.07	0.06	-0.01	-14%
91022	TC	Duodenal motility study	0.02	0.02	0.00	0%
91022	26	Duodenal motility study	0.05	0.04	-0.01	-20%
91030		Acid perfusion of esophagus	0.05	0.05	0.00	0%
91030	TC	Acid perfusion of esophagus	0.02	0.02	0.00	0%
91030	26	Acid perfusion of esophagus	0.03	0.03	0.00	0%
91034		Gastroesophageal reflux test	0.07	0.06	-0.01	-14%
91034	TC	Gastroesophageal reflux test	0.01	0.01	0.00	0%
91034	26	Gastroesophageal reflux test	0.06	0.05	-0.01	-17%
91035		G-esoph reflx tst w/electrod	0.12	0.12	0.00	0%
91035	TC	G-esoph reflx tst w/electrod	0.01	0.01	0.00	0%
91035	26	G-esoph reflx tst w/electrod	0.11	0.11	0.00	0%
91037		Esoph imped function test	0.06	0.05	-0.01	-17%
91037	TC	Esoph imped function test	0.01	0.01	0.00	0%
91037	26	Esoph imped function test	0.05	0.04	-0.01	-20%
91038		Esoph imped funct test > 1hr	0.06	0.06	0.00	0%
91038	TC	Esoph imped funct test > 1hr	0.01	0.02	0.01	100%
91038	26	Esoph imped funct test > 1hr	0.05	0.04	-0.01	-20%
91040		Esoph balloon distension tst	0.09	0.08	-0.01	-11%
91040	TC	Esoph balloon distension tst	0.01	0.01	0.00	0%
91040	26	Esoph balloon distension tst	0.08	0.07	-0.01	-13%
91065		Breath hydrogen/methane test	0.02	0.02	0.00	0%
91065	TC	Breath hydrogen/methane test	0.01	0.01	0.00	0%
91065	26	Breath hydrogen/methane test	0.01	0.01	0.00	0%
91110		Gi tract capsule endoscopy	0.10	0.10	0.00	0%
91110	TC	Gi tract capsule endoscopy	0.01	0.01	0.00	0%
91110	26	Gi tract capsule endoscopy	0.09	0.09	0.00	0%
91111		Esophageal capsule endoscopy	0.06	0.05	-0.01	-17%
91111	TC	Esophageal capsule endoscopy	0.01	0.01	0.00	0%
91111	26	Esophageal capsule endoscopy	0.05	0.04	-0.01	-20%

2021 MPFS Proposed Rule RVUs

CPT	Mod	Short Descriptor	2020 Malpractice RVU	2021 Proposed Malpractice RVU	Malpractice RVU Difference	Malpractice RVU % Change
91112		Gi wireless capsule measure	0.09	0.09	0.00	0%
91112	TC	Gi wireless capsule measure	0.01	0.01	0.00	0%
91112	26	Gi wireless capsule measure	0.08	0.08	0.00	0%
91117		Colon motility 6 hr study	0.15	0.15	0.00	0%
91120		Rectal sensation test	0.06	0.06	0.00	0%
91120	TC	Rectal sensation test	0.01	0.01	0.00	0%
91120	26	Rectal sensation test	0.05	0.05	0.00	0%
91122		Anal pressure record	0.11	0.11	0.00	0%
91122	TC	Anal pressure record	0.02	0.02	0.00	0%
91122	26	Anal pressure record	0.09	0.09	0.00	0%
91132		Electrogastrography	0.03	0.03	0.00	0%
91132	TC	Electrogastrography	0.01	0.01	0.00	0%
91132	26	Electrogastrography	0.02	0.02	0.00	0%
91133		Electrogastrography w/test	0.03	0.03	0.00	0%
91133	TC	Electrogastrography w/test	0.01	0.01	0.00	0%
91133	26	Electrogastrography w/test	0.02	0.02	0.00	0%
91200		Liver elastography	0.02	0.02	0.00	0%
91200	TC	Liver elastography	0.01	0.01	0.00	0%
91200	26	Liver elastography	0.01	0.01	0.00	0%
96360		Hydration iv infusion init	0.02	0.02	0.00	0%
96361		Hydrate iv infusion add-on	0.01	0.01	0.00	0%
96365		Ther/proph/diag iv inf init	0.05	0.05	0.00	0%
96366		Ther/proph/diag iv inf addon	0.01	0.01	0.00	0%
96367		Tx/proph/dg addl seq iv inf	0.02	0.02	0.00	0%
96368		Ther/diag concurrent inf	0.01	0.01	0.00	0%
96369		Sc ther infusion up to 1 hr	0.02	0.02	0.00	0%
96370		Sc ther infusion addl hr	0.01	0.01	0.00	0%
96371		Sc ther infusion reset pump	0.00	0.00	0.00	#DIV/0!
96372		Ther/proph/diag inj sc/im	0.01	0.01	0.00	0%
96413		Chemo iv infusion 1 hr	0.09	0.09	0.00	0%
96415		Chemo iv infusion addl hr	0.02	0.02	0.00	0%
96570		Photodynmc tx 30 min add-on	0.19	0.18	-0.01	-5%
96571		Photodynamic tx addl 15 min	0.05	0.04	-0.01	-20%
G0104		Ca screen;flexi sigmoidscope	0.11	0.11	0.00	0%
G0105		Colorectal scrn; hi risk ind	0.40	0.42	0.02	5%
G0105	53	Colorectal scrn; hi risk ind	0.18	0.21	0.03	17%

2021 MPFS Proposed Rule RVUs

CPT	Mod	Short Descriptor	2020 Malpractice RVU	2021 Proposed Malpractice RVU	Malpractice RVU Difference	Malpractice RVU % Change
G0121		Colon ca scrn not hi rsk ind	0.42	0.43	0.01	2%
G0121	53	Colon ca scrn not hi rsk ind	0.19	0.21	0.02	11%