

2022 MPFS Final Rule RVUs

CPT	Mod	Short Descriptor	2021 Work RVU	2022 Final Work RVU	Final Work RVU Difference	Final Work RVU % Change	2021 Non-Facility PE RVU	2022 Final Non-Facility PE RVU	Final Non-Facility PE RVU Difference	Final Non-Facility PE RVU % Change	2021 Facility PE RVUs	2022 Final Facility PE RVUs	Final Facility PE RVU Difference	Final Facility PE RVU % Change
43197		Esophagoscopy flex dx brush	1.52	1.52	0.00	0%	4.07	4.04	-0.03	-1%	0.65	0.67	0.02	3%
43198		Esophagosc flex trnsn biopy	1.82	1.82	0.00	0%	4.32	4.33	0.01	0%	0.79	0.82	0.03	4%
43200		Esophagoscopy flexible brush	1.42	1.42	0.00	0%	6.21	6.43	0.22	4%	0.92	0.94	0.02	2%
43201		Esoph scope w/submucous inj	1.72	1.72	0.00	0%	5.78	5.98	0.20	3%	1.04	1.06	0.02	2%
43202		Esophagoscopy flex biopsy	1.72	1.72	0.00	0%	8.94	9.12	0.18	2%	1.05	1.07	0.02	2%
43204		Esoph scope w/sclerosis inj	2.33	2.33	0.00	0%	NA	NA	NA	NA	1.35	1.36	0.01	1%
43205		Esophagus endoscopy/ligation	2.44	2.44	0.00	0%	NA	NA	NA	NA	1.40	1.41	0.01	1%
43206		Esoph optical endomicroscopy	2.29	2.29	0.00	0%	6.52	6.70	0.18	3%	1.33	1.35	0.02	2%
43210		Egd esophagogastrc fndoplsty	7.75	7.75	0.00	0%	NA	NA	NA	NA	3.59	3.60	0.01	0%
43211		Esophagoscop mucosal resect	4.20	4.20	0.00	0%	NA	NA	NA	NA	2.17	2.20	0.03	1%
43212		Esophagoscop stent placement	3.40	3.40	0.00	0%	NA	NA	NA	NA	1.57	1.58	0.01	1%
43213		Esophagoscopy retro balloon	4.63	4.63	0.00	0%	33.35	33.29	-0.06	0%	2.24	2.26	0.02	1%
43214		Esophagosc dilate balloon 30	3.40	3.40	0.00	0%	NA	NA	NA	NA	1.78	1.81	0.03	2%
43215		Esophagoscopy flex remove fb	2.44	2.44	0.00	0%	9.30	9.33	0.03	0%	1.33	1.34	0.01	1%
43216		Esophagoscopy lesion removal	2.30	2.30	0.00	0%	10.01	10.15	0.14	1%	1.33	1.35	0.02	2%
43217		Esophagoscopy snare les remv	2.80	2.80	0.00	0%	9.72	9.85	0.13	1%	1.56	1.57	0.01	1%
43220		Esophagoscopy balloon <30mm	2.00	2.00	0.00	0%	27.96	26.03	-1.93	-7%	1.18	1.20	0.02	2%
43226		Esoph endoscopy dilation	2.24	2.24	0.00	0%	8.98	9.29	0.31	3%	1.23	1.25	0.02	2%
43227		Esophagoscopy control bleed	2.89	2.89	0.00	0%	15.89	15.26	-0.63	-4%	1.58	1.59	0.01	1%
43229		Esophagoscopy lesion ablate	3.49	3.49	0.00	0%	18.25	18.25	0.00	0%	1.83	1.85	0.02	1%
43231		Esophagoscop ultrasound exam	2.80	2.80	0.00	0%	NA	NA	NA	NA	1.55	1.55	0.00	0%
43232		Esophagoscopy w/us needle bx	3.59	3.59	0.00	0%	NA	NA	NA	NA	1.83	1.85	0.02	1%
43235		Egd diagnostic brush wash	2.09	2.09	0.00	0%	6.59	6.75	NA	NA	1.23	1.25	0.02	2%
43233		Egd balloon dil esoph30 mm/>	4.07	4.07	0.00	0%	NA	NA	NA	NA	2.03	2.06	0.03	1%
43236		Uppr gi scope w/submuc inj	2.39	2.39	0.00	0%	9.43	9.76	0.33	3%	1.37	1.38	0.01	1%
43237		Endoscopic us exam esoph	3.47	3.47	0.00	0%	NA	NA	NA	NA	1.85	1.87	0.02	1%
43238		Egd us fine needle bx/aspir	4.16	4.16	0.00	0%	NA	NA	NA	NA	2.15	2.18	0.03	1%
43239		Egd biopsy single/multiple	2.39	2.39	0.00	0%	8.84	8.97	0.13	1%	1.37	1.38	0.01	1%
43240		Egd w/transmural drain cyst	7.15	7.15	0.00	0%	NA	NA	NA	NA	3.48	3.51	0.03	1%
43241		Egd tube/cath insertion	2.49	2.49	0.00	0%	NA	NA	NA	NA	1.36	1.37	0.01	1%
43242		Egd us fine needle bx/aspir	4.73	4.73	0.00	0%	NA	NA	NA	NA	2.41	2.44	0.03	1%
43243		Egd injection varices	4.27	4.27	0.00	0%	NA	NA	NA	NA	2.14	2.16	0.02	1%
43244		Egd varices ligation	4.40	4.40	0.00	0%	NA	NA	NA	NA	2.26	2.29	0.03	1%
43245		Egd dilate stricture	3.08	3.08	0.00	0%	15.04	15.01	-0.03	0%	1.64	1.65	0.01	1%
43246		Egd place gastrostomy tube	3.56	3.56	0.00	0%	NA	NA	NA	NA	1.78	1.79	0.01	1%
43247		Egd remove foreign body	3.11	3.11	0.00	0%	8.12	8.25	0.13	2%	1.67	1.68	0.01	1%

2022 MPFS Final Rule RVUs

CPT	Mod	Short Descriptor	2021 Work RVU	2022 Final Work RVU	Final Work RVU Difference	Final Work RVU % Change	2021 Non-Facility PE RVU	2022 Final Non-Facility PE RVU	Final Non-Facility PE RVU Difference	Final Non-Facility PE RVU % Change	2021 Facility PE RVUs	2022 Final Facility PE RVUs	Final Facility PE RVU Difference	Final Facility PE RVU % Change
43248		Egd guide wire insertion	2.91	2.91	0.00	0%	9.18	9.47	0.29	3%	1.60	1.61	0.01	1%
43249		Esoph egd dilation <30 mm	2.67	2.67	0.00	0%	31.47	31.12	-0.35	-1%	1.49	1.50	0.01	1%
43250		Egd cautery tumor polyp	2.97	2.97	0.00	0%	10.44	10.58	0.14	1%	1.58	1.59	0.01	1%
43251		Egd remove lesion snare	3.47	3.47	0.00	0%	11.28	11.44	0.16	1%	1.84	1.86	0.02	1%
43252		Egd optical endomicroscopy	2.96	2.96	0.00	0%	6.86	7.03	0.17	2%	1.60	1.62	0.02	1%
43253		Egd us transmural injxn/mark	4.73	4.73	0.00	0%	NA	NA	NA	NA	2.41	2.43	0.02	1%
43254		Egd endo mucosal resection	4.87	4.87	0.00	0%	NA	NA	NA	NA	2.46	2.49	0.03	1%
43255		Egd control bleeding any	3.56	3.56	0.00	0%	16.12	15.52	-0.60	-4%	1.88	1.91	0.03	2%
43257		Egd w/thrml txmnt gerd	4.15	4.15	0.00	0%	NA	NA	NA	NA	2.11	2.13	0.02	1%
43259		Egd us exam duodenum/jejunum	4.04	4.04	0.00	0%	NA	NA	NA	NA	2.10	2.13	0.03	1%
43266		Egd endoscopic stent place	3.92	3.92	0.00	0%	NA	NA	NA	NA	1.93	1.96	0.03	2%
43270		Egd lesion ablation	4.01	4.01	0.00	0%	18.21	18.26	0.05	0%	2.08	2.11	0.03	1%
43260		Ercp w/specimen collection	5.85	5.85	0.00	0%	NA	NA	NA	NA	2.90	2.93	0.03	1%
43261		Endo cholangiopancreatograph	6.15	6.15	0.00	0%	NA	NA	NA	NA	3.04	3.07	0.03	1%
43262		Endo cholangiopancreatograph	6.50	6.50	0.00	0%	NA	NA	NA	NA	3.19	3.23	0.04	1%
43263		Ercp sphincter pressure meas	6.50	6.50	0.00	0%	NA	NA	NA	NA	3.15	3.23	0.08	3%
43264		Ercp remove duct calculi	6.63	6.63	0.00	0%	NA	NA	NA	NA	3.25	3.28	0.03	1%
43265		Ercp lithotripsy calculi	7.93	7.93	0.00	0%	NA	NA	NA	NA	3.83	3.87	0.04	1%
43273		Endoscopic pancreatoscopy	2.24	2.24	0.00	0%	NA	NA	NA	NA	1.00	1.00	0.00	0%
43274		Ercp duct stent placement	8.48	8.48	0.00	0%	NA	NA	NA	NA	4.07	4.10	0.03	1%
43275		Ercp remove forgn body duct	6.86	6.86	0.00	0%	NA	NA	NA	NA	3.35	3.38	0.03	1%
43276		Ercp stent exchange w/dilate	8.84	8.84	0.00	0%	NA	NA	NA	NA	4.24	4.27	0.03	1%
43277		Ercp ea duct/ampulla dilate	6.90	6.90	0.00	0%	NA	NA	NA	NA	3.37	3.41	0.04	1%
43278		Ercp lesion ablate w/dilate	7.92	7.92	0.00	0%	NA	NA	NA	NA	3.81	3.86	0.05	1%
434XX		Lower esophageal myotomy (POEM)	NA	13.29	NA	NA	NA	NA	NA	NA	NA	8.17	NA	NA
44360		Small bowel endoscopy	2.49	2.49	0.00	0%	NA	NA	NA	NA	1.42	1.43	0.01	1%
44361		Small bowel endoscopy/biopsy	2.77	2.77	0.00	0%	NA	NA	NA	NA	1.55	1.56	0.01	1%
44363		S bowel endoscope/foreign body	3.39	3.39	0.00	0%	NA	NA	NA	NA	1.80	1.83	0.03	2%
44364		Small bowel endoscopy/snare	3.63	3.63	0.00	0%	NA	NA	NA	NA	1.92	1.94	0.02	1%
44365		S bowel endoscope/hot biopsy	3.21	3.21	0.00	0%	NA	NA	NA	NA	1.74	1.76	0.02	1%
44366		S bowel endoscope/ctrl bleeding	4.30	4.30	0.00	0%	NA	NA	NA	NA	2.22	2.24	0.02	1%
44369		Small bowel endoscopy/ablate	4.41	4.41	0.00	0%	NA	NA	NA	NA	2.27	2.29	0.02	1%
44370		Small bowel endoscopy/stent	4.69	4.69	0.00	0%	NA	NA	NA	NA	2.55	2.58	0.03	1%
44372		S bowel endoscope/place J-tube	4.30	4.30	0.00	0%	NA	NA	NA	NA	2.14	2.16	0.02	1%
44373		S bowel endoscope/convert J-tube	3.39	3.39	0.00	0%	NA	NA	NA	NA	1.77	1.80	0.03	2%
44376		S bowel endoscopy, enteroscopy	5.15	5.15	0.00	0%	NA	NA	NA	NA	2.57	2.60	0.03	1%

2022 MPFS Final Rule RVUs

CPT	Mod	Short Descriptor	2021 Work RVU	2022 Final Work RVU	Final Work RVU Difference	Final Work RVU % Change	2021 Non-Facility PE RVU	2022 Final Non-Facility PE RVU	Final Non-Facility PE RVU Difference	Final Non-Facility PE RVU % Change	2021 Facility PE RVUs	2022 Final Facility PE RVUs	Final Facility PE RVU Difference	Final Facility PE RVU % Change
44377		S bowel endoscopy, enteroscopy/bx	5.42	5.42	0.00	0%	NA	NA	NA	NA	2.68	2.72	0.04	1%
44378		S bowel endoscope/ctrl bleeding	7.02	7.02	0.00	0%	NA	NA	NA	NA	3.42	3.46	0.04	1%
44379		S bowel endoscope, enteroscopy/stent	7.36	7.36	0.00	0%	NA	NA	NA	NA	3.74	3.78	0.04	1%
44380		Ileoscopy thru stoma	0.87	0.87	0.00	0%	4.95	5.01	0.06	1%	0.67	0.68	0.01	1%
44381		Small bowel endoscopy br/wa	1.38	1.38	0.00	0%	29.46	28.87	-0.59	-2%	0.88	0.90	0.02	2%
44382		Ileoscopy thru stoma/biopsy	1.17	1.17	0.00	0%	7.87	7.95	0.08	1%	0.83	0.84	0.01	1%
44384		Small bowel endoscopy	2.85	2.85	0.00	0%	NA	NA	NA	NA	1.30	1.32	0.02	2%
44385		Endoscopy of bowel pouch	1.20	1.20	0.00	0%	5.09	5.18	0.09	2%	0.74	0.76	0.02	3%
44386		Endoscopy bowel pouch/biop	1.50	1.50	0.00	0%	7.87	7.92	0.05	1%	0.91	0.92	0.01	1%
44388		C-stoma	2.72	2.72	0.00	0%	6.39	6.49	0.10	2%	1.45	1.46	0.01	1%
44388	53	C-stoma	1.36	1.36	0.00	0%	3.20	3.24	0.04	1%	0.72	0.73	0.01	1%
44389		C-stoma with biopsy	3.02	3.02	0.00	0%	9.13	9.22	0.09	1%	1.61	1.62	0.01	1%
44390		C-stoma for foreign body	3.74	3.74	0.00	0%	8.05	8.16	0.11	1%	1.97	1.99	0.02	1%
44391		C-stoma for bleeding	4.12	4.12	0.00	0%	15.88	15.15	-0.73	-5%	2.12	2.13	0.01	0%
44392		C-stoma & polypectomy	3.53	3.53	0.00	0%	7.58	7.67	0.09	1%	1.76	1.77	0.01	1%
44394		C-stoma w/snare	4.03	4.03	0.00	0%	8.72	8.82	0.10	1%	2.03	2.05	0.02	1%
44401		C-stoma with ablation	4.34	4.34	0.00	0%	77.43	70.35	-7.08	-9%	2.24	2.26	0.02	1%
44402		C-stoma w/stent plcmt	4.70	4.70	0.00	0%	NA	NA	NA	NA	2.40	2.43	0.03	1%
44403		C-stoma w/resection	5.50	5.50	0.00	0%	NA	NA	NA	NA	2.75	2.78	0.03	1%
44404		C-stoma w/injection	3.02	3.02	0.00	0%	9.22	9.55	0.33	4%	1.61	1.62	0.01	1%
44405		C-stoma w/dilation	3.23	3.23	0.00	0%	13.75	13.62	-0.13	-1%	1.75	1.77	0.02	1%
44406		C-stoma w/ultrasound	4.10	4.10	0.00	0%	NA	NA	NA	NA	2.13	2.16	0.03	1%
44407		C-stoma w/ndl aspir/bx	4.96	4.96	0.00	0%	NA	NA	NA	NA	2.51	2.54	0.03	1%
44408		C-stoma w/decompression	4.14	4.14	0.00	0%	NA	NA	NA	NA	2.15	2.17	0.02	1%
45330		Diagnostic sigmoidoscopy	0.84	0.84	0.00	0%	4.65	4.72	0.07	2%	0.67	0.69	0.02	3%
45331		Sigmoidoscopy and biopsy	1.14	1.14	0.00	0%	7.50	7.58	0.08	1%	0.81	0.83	0.02	2%
45332		Sigmoidoscopy w/fb removal	1.76	1.76	0.00	0%	6.40	6.51	0.11	2%	1.07	1.09	0.02	2%
45333		Sigmoidoscopy & polypectomy	1.55	1.55	0.00	0%	8.32	8.40	0.08	1%	0.97	0.98	0.01	1%
45334		Sigmoidoscopy for bleeding	2.00	2.00	0.00	0%	13.83	13.14	-0.69	-5%	1.19	1.21	0.02	2%
45335		Sigmoidoscopy w/submuc inj	1.04	1.04	0.00	0%	7.61	7.84	0.23	3%	0.76	0.77	0.01	1%
45337		Sigmoidoscopy & decompress	2.10	2.10	0.00	0%	NA	NA	NA	NA	0.99	1.01	0.02	2%
45338		Sigmoidoscopy w/tumr remove	2.05	2.05	0.00	0%	6.77	6.87	0.10	1%	1.20	1.22	0.02	2%
45340		Sig w/balloon dilation	1.25	1.25	0.00	0%	12.98	12.88	-0.10	-1%	0.85	0.86	0.01	1%
45341		Sigmoidoscopy w/ultrasound	2.12	2.12	0.00	0%	NA	NA	NA	NA	1.25	1.27	0.02	2%
45342		Sigmoidoscopy w/us guide bx	2.98	2.98	0.00	0%	NA	NA	NA	NA	1.64	1.65	0.01	1%
45346		Sigmoidoscopy w/ablation	2.81	2.81	0.00	0%	76.84	69.68	-7.16	-9%	1.54	1.55	0.01	1%

2022 MPFS Final Rule RVUs

CPT	Mod	Short Descriptor	2021 Work RVU	2022 Final Work RVU	Final Work RVU Difference	Final Work RVU % Change	2021 Non-Facility PE RVU	2022 Final Non-Facility PE RVU	Final Non-Facility PE RVU Difference	Final Non-Facility PE RVU % Change	2021 Facility PE RVUs	2022 Final Facility PE RVUs	Final Facility PE RVU Difference	Final Facility PE RVU % Change
45347		Sigmoidoscopy w/plcmt stent	2.72	2.72	0.00	0%	NA	NA	NA	NA	1.47	1.48	0.01	1%
45349		Sigmoidoscopy w/resection	3.52	3.52	0.00	0%	NA	NA	NA	NA	1.86	1.88	0.02	1%
45350		Sgmdsc w/band ligation	1.68	1.68	0.00	0%	18.66	19.15	0.49	3%	1.04	1.06	0.02	2%
45378		Diagnostic colonoscopy	3.26	3.26	0.00	0%	6.56	6.66	0.10	2%	1.73	1.74	0.01	1%
45378	53	Diagnostic colonoscopy	1.63	1.63	0.00	0%	3.28	3.33	0.05	2%	0.86	0.87	0.01	1%
45379		Colonoscopy w/fb removal	4.28	4.28	0.00	0%	8.32	8.45	0.13	2%	2.17	2.20	0.03	1%
45380		Colonoscopy and biopsy	3.56	3.56	0.00	0%	9.25	9.33	0.08	1%	1.87	1.89	0.02	1%
45381		Colonoscopy submucous inj	3.56	3.56	0.00	0%	9.36	9.60	0.24	3%	1.87	1.89	0.02	1%
45382		Colonoscopy/control bleeding	4.66	4.66	0.00	0%	16.07	15.39	-0.68	-4%	2.36	2.39	0.03	1%
45384		Lesion remove colonoscopy	4.07	4.07	0.00	0%	10.23	10.30	0.07	1%	2.01	2.03	0.02	1%
45385		Lesion removal colonoscopy	4.57	4.57	0.00	0%	8.62	8.72	0.10	1%	2.31	2.34	0.03	1%
45386		Colonoscopy dilate stricture	3.77	3.77	0.00	0%	14.77	14.69	-0.08	-1%	1.94	1.97	0.03	2%
45388		Colonoscopy w/ablation	4.88	4.88	0.00	0%	79.44	72.13	-7.31	-9%	2.41	2.43	0.02	1%
45389		Colonoscopy w/stent plcmt	5.24	5.24	0.00	0%	NA	NA	NA	NA	2.60	2.64	0.04	2%
45390		Colonoscopy w/resection	6.04	6.04	0.00	0%	NA	NA	NA	NA	2.98	3.01	0.03	1%
45391		Colonoscopy w/endoscope us	4.64	4.64	0.00	0%	NA	NA	NA	NA	2.36	2.39	0.03	1%
45392		Colonoscopy w/endoscopic fnb	5.50	5.50	0.00	0%	NA	NA	NA	NA	2.74	2.77	0.03	1%
45393		Colonoscopy w/decompression	4.68	4.68	0.00	0%	NA	NA	NA	NA	2.10	2.12	0.02	1%
45398		Colonoscopy w/band ligation	4.20	4.20	0.00	0%	20.44	20.94	0.50	2%	2.06	2.09	0.03	1%
74261		Ct colonography dx	2.40	2.40	0.00	0%	11.25	10.70	-0.55	-5%	NA	NA	NA	NA
74261	TC	Ct colonography dx	0.00	0.00	0.00	0%	10.38	9.84	-0.54	-5%	NA	NA	NA	NA
74261	26	Ct colonography dx	2.40	2.40	0.00	0%	0.87	0.86	-0.01	-1%	0.87	0.86	-0.01	-1%
74262		Ct colonography dx w/dye	2.50	2.50	0.00	0%	12.90	12.31	-0.59	-5%	NA	NA	NA	NA
74262	TC	Ct colonography dx w/dye	0.00	0.00	0.00	0%	12.00	11.41	-0.59	-5%	NA	NA	NA	NA
74262	26	Ct colonography dx w/dye	2.50	2.50	0.00	0%	0.90	0.90	0.00	0%	0.90	0.90	0.00	0%
74263		Ct colonography screening	2.28	2.28	0.00	0%	19.80	18.79	-1.01	-5%	NA	NA	NA	NA
74263	TC	Ct colonography screening	0.00	0.00	0.00	0%	18.92	17.91	-1.01	-5%	NA	NA	NA	NA
74263	26	Ct colonography screening	2.28	2.28	0.00	0%	0.88	0.88	0.00	0%	0.88	0.88	0.00	0%
88304		Tissue exam by pathologist	0.22	0.22	0.00	0%	0.97	0.98	0.01	1%	NA	NA	NA	NA
88304	TC	Tissue exam by pathologist	0.00	0.00	0.00	0%	0.87	0.88	0.01	1%	NA	NA	NA	NA
88304	26	Tissue exam by pathologist	0.22	0.22	0.00	0%	0.10	0.10	0.00	0%	0.10	0.10	0.00	0%
88305		Tissue exam by pathologist	0.75	0.75	0.00	0%	1.28	1.31	0.03	2%	NA	NA	NA	NA
88305	TC	Tissue exam by pathologist	0.00	0.00	0.00	0%	0.96	0.99	0.03	3%	NA	NA	NA	NA
88305	26	Tissue exam by pathologist	0.75	0.75	0.00	0%	0.32	0.32	0.00	0%	0.32	0.32	0.00	0%
91010		Esophagus motility study	1.28	1.28	0.00	0%	5.17	5.40	0.23	4%	NA	NA	NA	NA
91010	TC	Esophagus motility study	0.00	0.00	0.00	0%	4.61	4.84	0.23	5%	NA	NA	NA	NA

2022 MPFS Final Rule RVUs

CPT	Mod	Short Descriptor	2021 Work RVU	2022 Final Work RVU	Final Work RVU Difference	Final Work RVU % Change	2021 Non-Facility PE RVU	2022 Final Non-Facility PE RVU	Final Non-Facility PE RVU Difference	Final Non-Facility PE RVU % Change	2021 Facility PE RVUs	2022 Final Facility PE RVUs	Final Facility PE RVU Difference	Final Facility PE RVU % Change
91010	26	Esophagus motility study	1.28	1.28	0.00	0%	0.56	0.56	0.00	0%	0.56	0.56	0.00	0%
91013		Esophagl motil w/stim/perfus	0.18	0.18	0.00	0%	0.59	0.59	0.00	0%	NA	NA	NA	NA
91013	TC	Esophagl motil w/stim/perfus	0.00	0.00	0.00	0%	0.51	0.51	0.00	0%	NA	NA	NA	NA
91013	26	Esophagl motil w/stim/perfus	0.18	0.18	0.00	0%	0.08	0.08	0.00	0%	0.08	0.08	0.00	0%
91020		Gastric motility studies	1.44	1.44	0.00	0%	6.76	6.94	0.18	3%	NA	NA	NA	NA
91020	TC	Gastric motility studies	0.00	0.00	0.00	0%	6.12	6.29	0.17	3%	NA	NA	NA	NA
91020	26	Gastric motility studies	1.44	1.44	0.00	0%	0.64	0.65	0.01	2%	0.64	0.65	0.01	2%
91022		Duodenal motility study	1.44	1.44	0.00	0%	3.64	3.66	0.02	1%	NA	NA	NA	NA
91022	TC	Duodenal motility study	0.00	0.00	0.00	0%	3.00	3.01	0.01	0%	NA	NA	NA	NA
91022	26	Duodenal motility study	1.44	1.44	0.00	0%	0.64	0.65	0.01	2%	0.64	0.65	0.01	2%
91030		Acid perfusion of esophagus	0.91	0.91	0.00	0%	3.37	3.40	0.03	1%	NA	NA	NA	NA
91030	TC	Acid perfusion of esophagus	0.00	0.00	0.00	0%	2.97	2.99	0.02	1%	NA	NA	NA	NA
91030	26	Acid perfusion of esophagus	0.91	0.91	0.00	0%	0.40	0.41	0.01	2%	0.40	0.41	0.01	2%
91034		Gastroesophageal reflux test	0.97	0.97	0.00	0%	4.82	4.77	-0.05	-1%	NA	NA	NA	NA
91034	TC	Gastroesophageal reflux test	0.00	0.00	0.00	0%	4.40	4.35	-0.05	-1%	NA	NA	NA	NA
91034	26	Gastroesophageal reflux test	0.97	0.97	0.00	0%	0.42	0.42	0.00	0%	0.42	0.42	0.00	0%
91035		G-esoph reflx tst w/electrod	1.59	1.59	0.00	0%	13.10	12.65	-0.45	-3%	NA	NA	NA	NA
91035	TC	G-esoph reflx tst w/electrod	0.00	0.00	0.00	0%	12.42	11.97	-0.45	-4%	NA	NA	NA	NA
91035	26	G-esoph reflx tst w/electrod	1.59	1.59	0.00	0%	0.68	0.68	0.00	0%	0.68	0.68	0.00	0%
91037		Esoph imped function test	0.97	0.97	0.00	0%	4.10	4.12	0.02	0%	NA	NA	NA	NA
91037	TC	Esoph imped function test	0.00	0.00	0.00	0%	3.68	3.69	0.01	0%	NA	NA	NA	NA
91037	26	Esoph imped function test	0.97	0.97	0.00	0%	0.42	0.43	0.01	2%	0.42	0.43	0.01	2%
91038		Esoph imped funct test > 1hr	1.10	1.10	0.00	0%	12.08	11.55	-0.53	-4%	NA	NA	NA	NA
91038	TC	Esoph imped funct test > 1hr	0.00	0.00	0.00	0%	11.60	11.06	-0.54	-5%	NA	NA	NA	NA
91038	26	Esoph imped funct test > 1hr	1.10	1.10	0.00	0%	0.48	0.49	0.01	2%	0.48	0.49	0.01	2%
91040		Esoph balloon distension tst	0.97	0.97	0.00	0%	15.08	15.36	0.28	2%	NA	NA	NA	NA
91040	TC	Esoph balloon distension tst	0.00	0.00	0.00	0%	14.67	14.95	0.28	2%	NA	NA	NA	NA
91040	26	Esoph balloon distension tst	0.97	0.97	0.00	0%	0.41	0.41	0.00	0%	0.41	0.41	0.00	0%
91065		Breath hydrogen/methane test	0.20	0.20	0.00	0%	2.48	2.50	0.02	1%	NA	NA	NA	NA
91065	TC	Breath hydrogen/methane test	0.00	0.00	0.00	0%	2.39	2.41	0.02	1%	NA	NA	NA	NA
91065	26	Breath hydrogen/methane test	0.20	0.20	0.00	0%	0.09	0.09	0.00	0%	0.09	0.09	0.00	0%
91110		Gi tract capsule endoscopy	2.49	2.24	-0.25	-10%	22.79	20.99	-1.80	-8%	NA	NA	NA	NA
91110	TC	Gi tract capsule endoscopy	0.00	0.00	0.00	0%	21.69	19.99	-1.70	-8%	NA	NA	NA	NA
91110	26	Gi tract capsule endoscopy	2.49	2.24	-0.25	-10%	1.10	1.00	-0.10	-9%	1.10	1.00	-0.10	-9%
91111		Esophageal capsule endoscopy	1.00	0.90	-0.10	-10%	26.74	27.13	0.39	1%	NA	NA	NA	NA
91111	TC	Esophageal capsule endoscopy	0.00	0.00	0.00	0%	26.30	26.73	0.43	2%	NA	NA	NA	NA

2022 MPFS Final Rule RVUs

CPT	Mod	Short Descriptor	2021 Work RVU	2022 Final Work RVU	Final Work RVU Difference	Final Work RVU % Change	2021 Non-Facility PE RVU	2022 Final Non-Facility PE RVU	Final Non-Facility PE RVU Difference	Final Non-Facility PE RVU % Change	2021 Facility PE RVUs	2022 Final Facility PE RVUs	Final Facility PE RVU Difference	Final Facility PE RVU % Change
91111	26	Esophageal capsule endoscopy	1.00	0.90	-0.10	-10%	0.44	0.40	-0.04	-9%	0.44	0.40	-0.04	-9%
91112		Gi wireless capsule measure	2.10	2.10	0.00	0%	47.04	49.66	2.62	6%	NA	NA	NA	NA
91112	TC	Gi wireless capsule measure	0.00	0.00	0.00	0%	46.11	48.73	2.62	6%	NA	NA	NA	NA
91112	26	Gi wireless capsule measure	2.10	2.10	0.00	0%	0.93	0.93	0.00	0%	0.93	0.93	0.00	0%
91113		Gi trc img intral colon i&r	NA	2.41	NA	NA	NA	25.58	NA	NA	NA	NA	NA	NA
91113	TC	Gi trc img intral colon i&r	NA	0.00	NA	NA	NA	24.52	NA	NA	NA	NA	NA	NA
91113	26	Gi trc img intral colon i&r	NA	2.41	NA	NA	NA	1.06	NA	NA	NA	1.06	NA	NA
91117		Colon motility 6 hr study	2.45	2.45	0.00	0%	NA	NA	NA	NA	1.36	1.37	0.01	1%
91120		Rectal sensation test	0.97	0.97	0.00	0%	14.68	14.85	0.17	1%	NA	NA	NA	NA
91120	TC	Rectal sensation test	0.00	0.00	0.00	0%	14.28	14.45	0.17	1%	NA	NA	NA	NA
91120	26	Rectal sensation test	0.97	0.97	0.00	0%	0.40	0.40	0.00	0%	0.40	0.40	0.00	0%
91122		Anal pressure record	1.77	1.77	0.00	0%	6.11	6.35	0.24	4%	NA	NA	NA	NA
91122	TC	Anal pressure record	0.00	0.00	0.00	0%	5.41	5.65	0.24	4%	NA	NA	NA	NA
91122	26	Anal pressure record	1.77	1.77	0.00	0%	0.70	0.70	0.00	0%	0.70	0.70	0.00	0%
91132		Electrogastrography	0.52	0.52	0.00	0%	11.72	13.49	1.77	15%	NA	NA	NA	NA
91132	TC	Electrogastrography	0.00	0.00	0.00	0%	11.49	13.26	1.77	15%	NA	NA	NA	NA
91132	26	Electrogastrography	0.52	0.52	0.00	0%	0.23	0.23	0.00	0%	0.23	0.23	0.00	0%
91133		Electrogastrography w/test	0.66	0.66	0.00	0%	12.25	13.99	1.74	14%	NA	NA	NA	NA
91133	TC	Electrogastrography w/test	0.00	0.00	0.00	0%	11.96	13.69	1.73	14%	NA	NA	NA	NA
91133	26	Electrogastrography w/test	0.66	0.66	0.00	0%	0.29	0.30	0.01	3%	0.29	0.30	0.01	3%
91200		Liver elastography	0.21	0.21	0.00	0%	0.71	0.68	-0.03	-4%	NA	NA	NA	NA
91200	TC	Liver elastography	0.00	0.00	0.00	0%	0.61	0.59	-0.02	-3%	NA	NA	NA	NA
91200	26	Liver elastography	0.21	0.21	0.00	0%	0.10	0.09	-0.01	-10%	0.10	0.09	-0.01	-10%
96360		Hydration iv infusion init	0.17	0.17	0.00	0%	0.85	0.82	-0.03	-4%	NA	NA	NA	NA
96361		Hydrate iv infusion add-on	0.09	0.09	0.00	0%	0.30	0.28	-0.02	-7%	NA	NA	NA	NA
96365		Ther/proph/diag iv inf init	0.21	0.21	0.00	0%	1.86	1.75	-0.11	-6%	NA	NA	NA	NA
96366		Ther/proph/diag iv inf add-on	0.18	0.18	0.00	0%	0.45	0.43	-0.02	-4%	NA	NA	NA	NA
96367		Tx/proph/dg addl seq iv inf	0.19	0.19	0.00	0%	0.71	0.68	-0.03	-4%	NA	NA	NA	NA
96368		Ther/diag concurrent inf	0.17	0.17	0.00	0%	0.43	0.42	-0.01	-2%	NA	NA	NA	NA
96369		Sc ther infusion up to 1 hr	0.21	0.21	0.00	0%	4.32	4.04	-0.28	-6%	NA	NA	NA	NA
96370		Sc ther infusion addl hr	0.18	0.18	0.00	0%	0.25	0.26	0.01	4%	NA	NA	NA	NA
96371		Sc ther infusion reset pump	0.00	0.00	0.00	0%	1.89	1.73	-0.16	-8%	NA	NA	NA	NA
96372		Ther/proph/diag inj sc/im	0.17	0.17	0.00	0%	0.23	0.24	0.01	4%	NA	NA	NA	NA
96413		Chemo iv infusion 1 hr	0.28	0.28	0.00	0%	3.88	3.68	-0.20	-5%	NA	NA	NA	NA
96415		Chemo iv infusion addl hr	0.19	0.19	0.00	0%	0.69	0.65	-0.04	-6%	NA	NA	NA	NA
96570		Photodynmc tx 30 min add-on	1.10	1.10	0.00	0%	0.35	0.32	-0.03	-9%	0.35	0.32	-0.03	-9%

2022 MPFS Final Rule RVUs

CPT	Mod	Short Descriptor	2021 Work RVU	2022 Final Work RVU	Final Work RVU Difference	Final Work RVU % Change	2021 Non-Facility PE RVU	2022 Final Non-Facility PE RVU	Final Non-Facility PE RVU Difference	Final Non-Facility PE RVU % Change	2021 Facility PE RVUs	2022 Final Facility PE RVUs	Final Facility PE RVU Difference	Final Facility PE RVU % Change
96571		Photodynamic tx addl 15 min	0.55	0.55	0.00	0%	0.16	0.16	0.00	0%	0.16	0.16	0.00	0%
G0104		Ca screen;flexi sigmoidscope	0.84	0.84	0.00	0%	4.65	4.72	0.07	2%	0.67	0.69	0.02	3%
G0105		Colorectal scrn; hi risk ind	3.26	3.26	0.00	0%	6.56	6.66	0.10	2%	1.73	1.74	0.01	1%
G0105	53	Colorectal scrn; hi risk ind	1.63	1.63	0.00	0%	3.28	3.33	0.05	2%	0.86	0.87	0.01	1%
G0121		Colon ca scrn not hi rsk ind	3.26	3.26	0.00	0%	6.56	6.66	0.10	2%	1.73	1.74	0.01	1%
G0121	53	Colon ca scrn not hi rsk ind	1.63	1.63	0.00	0%	3.28	3.33	0.05	2%	0.86	0.87	0.01	1%
99202		Office/outpatient visit new	0.93	0.93	0.00	0%	1.10	1.12	0.02	2%	0.41	0.41	0.00	0%
99203		Office/outpatient visit new	1.60	1.60	0.00	0%	1.51	1.52	0.01	1%	0.67	0.67	0.00	0%
99204		Office/outpatient visit new	2.60	2.60	0.00	0%	2.04	2.06	0.02	1%	1.11	1.11	0.00	0%
99205		Office/outpatient visit new	3.50	3.50	0.00	0%	2.62	2.66	0.04	2%	1.54	1.54	0.00	0%
99211		Office/outpatient visit est	0.18	0.18	0.00	0%	0.47	0.49	0.02	4%	0.07	0.07	0.00	0%
99212		Office/outpatient visit est	0.70	0.70	0.00	0%	0.88	0.89	0.01	1%	0.29	0.29	0.00	0%
99213		Office/outpatient visit est	1.30	1.30	0.00	0%	1.25	1.26	0.01	1%	0.55	0.55	0.00	0%
99214		Office/outpatient visit est	1.92	1.92	0.00	0%	1.70	1.71	0.01	1%	0.82	0.82	0.00	0%
99215		Office/outpatient visit est	2.80	2.80	0.00	0%	2.24	2.28	0.04	2%	1.23	1.24	0.01	1%
G2010		Remot image submit by pt	0.18	0.18	0.00	0%	0.16	0.16	0.00	0%	0.08	0.08	0.00	0%
G2012		Brief check in by md/qhp	0.25	0.25	0.00	0%	0.15	0.15	0.00	0%	0.11	0.10	-0.01	-9%
G2212		Prolong outpt/office vis	0.61	0.61	0.00	0%	0.30	0.30	0.00	0%	0.27	0.27	0.00	0%
G2252		Brief chkin by md/qhp, 11-20	0.50	0.50	0.00	0%	0.23	0.27	0.04	17%	0.19	0.23	0.04	21%
99441		Phone e/m phys/qhp 5-10 min	0.70	0.70	0.00	0%	0.88	0.89	0.01	1%	0.29	0.29	0.00	0%
99442		Phone e/m phys/qhp 11-20 min	1.30	1.30	0.00	0%	1.25	1.26	0.01	1%	0.55	0.55	0.00	0%
99443		Phone e/m phys/qhp 21-30 min	1.92	1.92	0.00	0%	1.70	1.71	0.01	1%	0.82	0.82	0.00	0%
99421		Ol dig e/m svc 5-10 min	0.25	0.25	0.00	0%	0.16	0.17	0.01	6%	0.10	0.11	0.01	10%
99422		Ol dig e/m svc 11-20 min	0.50	0.50	0.00	0%	0.32	0.32	0.00	0%	0.21	0.21	0.00	0%
99423		Ol dig e/m svc 21+ min	0.80	0.80	0.00	0%	0.51	0.53	0.02	4%	0.33	0.34	0.01	3%

2022 MPFS Final Rule RVUs

CPT	Mod	Short Descriptor	2021 Malpractice RVU	2022 Final Malpractice RVU	Final Malpractice RVU Difference	Final Malpractice RVU % Change
43197		Esophagoscopy flex dx brush	0.23	0.24	0.01	4%
43198		Esophagosc flex trnsn biopy	0.25	0.25	0.00	0%
43200		Esophagoscopy flexible brush	0.21	0.21	0.00	0%
43201		Esoph scope w/submucous inj	0.23	0.25	0.02	9%
43202		Esophagoscopy flex biopsy	0.22	0.23	0.01	5%
43204		Esoph scope w/sclerosis inj	0.25	0.25	0.00	0%
43205		Esophagus endoscopy/ligation	0.26	0.25	-0.01	-4%
43206		Esoph optical endomicroscopy	0.25	0.25	0.00	0%
43210		Egd esophagogastrc fndoplsty	1.25	1.33	0.08	6%
43211		Esophagoscop mucosal resect	0.45	0.45	0.00	0%
43212		Esophagoscop stent placement	0.56	0.57	0.01	2%
43213		Esophagoscopy retro balloon	0.68	0.72	0.04	6%
43214		Esophagosc dilate balloon 30	0.43	0.44	0.01	2%
43215		Esophagoscopy flex remove fb	0.34	0.37	0.03	9%
43216		Esophagoscopy lesion removal	0.26	0.25	-0.01	-4%
43217		Esophagoscopy snare les rmv	0.30	0.31	0.01	3%
43220		Esophagoscopy balloon <30mm	0.26	0.25	-0.01	-4%
43226		Esoph endoscopy dilation	0.33	0.33	0.00	0%
43227		Esophagoscopy control bleed	0.33	0.34	0.01	3%
43229		Esophagoscopy lesion ablate	0.42	0.41	-0.01	-2%
43231		Esophagoscop ultrasound exam	0.28	0.29	0.01	4%
43232		Esophagoscopy w/us needle bx	0.37	0.39	0.02	5%
43235		Egd diagnostic brush wash	0.25	0.25	0.00	0%
43233		Egd balloon dil esoph30 mm/>	0.59	0.60	0.01	2%
43236		Uppr gi scope w/submuc inj	0.26	0.25	-0.01	-4%
43237		Endoscopic us exam esoph	0.37	0.39	0.02	5%
43238		Egd us fine needle bx/aspir	0.45	0.44	-0.01	-2%
43239		Egd biopsy single/multiple	0.26	0.27	0.01	4%
43240		Egd w/transmural drain cyst	0.76	0.79	0.03	4%
43241		Egd tube/cath insertion	0.28	0.31	0.03	11%
43242		Egd us fine needle bx/aspir	0.49	0.52	0.03	6%
43243		Egd injection varices	0.48	0.50	0.02	4%
43244		Egd varices ligation	0.46	0.47	0.01	2%
43245		Egd dilate stricture	0.42	0.41	-0.01	-2%
43246		Egd place gastrostomy tube	0.49	0.52	0.03	6%
43247		Egd remove foreign body	0.37	0.39	0.02	5%

2022 MPFS Final Rule RVUs

CPT	Mod	Short Descriptor	2021 Malpractice RVU	2022 Final Malpractice RVU	Final Malpractice RVU Difference	Final Malpractice RVU % Change
43248		Egd guide wire insertion	0.32	0.33	0.01	3%
43249		Esoph egd dilation <30 mm	0.31	0.32	0.01	3%
43250		Egd cautery tumor polyp	0.43	0.42	-0.01	-2%
43251		Egd remove lesion snare	0.39	0.40	0.01	3%
43252		Egd optical endomicroscopy	0.34	0.34	0.00	0%
43253		Egd us transmural injxn/mark	0.49	0.52	0.03	6%
43254		Egd endo mucosal resection	0.52	0.56	0.04	8%
43255		Egd control bleeding any	0.39	0.40	0.01	3%
43257		Egd w/thrml txmnt gerd	0.49	0.56	0.07	14%
43259		Egd us exam duodenum/jejunum	0.43	0.42	-0.01	-2%
43266		Egd endoscopic stent place	0.48	0.50	0.02	4%
43270		Egd lesion ablation	0.44	0.43	-0.01	-2%
43260		Ercp w/specimen collection	0.63	0.65	0.02	3%
43261		Endo cholangiopancreatograph	0.65	0.67	0.02	3%
43262		Endo cholangiopancreatograph	0.70	0.73	0.03	4%
43263		Ercp sphincter pressure meas	0.74	0.73	-0.01	-1%
43264		Ercp remove duct calculi	0.71	0.73	0.02	3%
43265		Ercp lithotripsy calculi	0.85	0.89	0.04	5%
43273		Endoscopic pancreatoscopy	0.25	0.25	0.00	0%
43274		Ercp duct stent placement	0.92	0.95	0.03	3%
43275		Ercp remove forgn body duct	0.74	0.76	0.02	3%
43276		Ercp stent exchange w/dilate	0.94	0.98	0.04	4%
43277		Ercp ea duct/ampulla dilate	0.74	0.76	0.02	3%
43278		Ercp lesion ablate w/dilate	0.85	0.89	0.04	5%
434XX		Lower esophageal myotomy (POEM)	NA	1.94	NA	NA
44360		Small bowel endoscopy	0.26	0.27	0.01	4%
44361		Small bowel endoscopy/biopsy	0.30	0.31	0.01	3%
44363		S bowel endoscope/foreign body	0.38	0.39	0.01	3%
44364		Small bowel endoscopy/snare	0.39	0.40	0.01	3%
44365		S bowel endoscope/hot biopsy	0.34	0.34	0.00	0%
44366		S bowel endoscope/ctrl bleeding	0.45	0.45	0.00	0%
44369		Small bowel endoscopy/ablate	0.46	0.47	0.01	2%
44370		Small bowel endoscopy/stent	0.49	0.52	0.03	6%
44372		S bowel endoscope/place J-tube	0.52	0.55	0.03	6%
44373		S bowel endoscope/convert J-tube	0.43	0.42	-0.01	-2%
44376		S bowel endoscopy, enteroscopy	0.53	0.56	0.03	6%

2022 MPFS Final Rule RVUs

CPT	Mod	Short Descriptor	2021 Malpractice RVU	2022 Final Malpractice RVU	Final Malpractice RVU Difference	Final Malpractice RVU % Change
44377		S bowel endoscopy, enteroscopy/bx	0.59	0.60	0.01	2%
44378		S bowel endoscope/ctrl bleeding	0.74	0.77	0.03	4%
44379		S bowel endoscope, enteroscopy/stent	0.78	0.83	0.05	6%
44380		Ileoscopy thru stoma	0.10	0.10	0.00	0%
44381		Small bowel endoscopy br/wa	0.17	0.18	0.01	6%
44382		Ileoscopy thru stoma/biopsy	0.14	0.12	-0.02	-14%
44384		Small bowel endoscopy	0.34	0.35	0.01	3%
44385		Endoscopy of bowel pouch	0.15	0.17	0.02	13%
44386		Endoscopy bowel pouch/biop	0.17	0.20	0.03	18%
44388		C-stoma	0.39	0.40	0.01	3%
44388	53	C-stoma	0.19	0.20	0.01	5%
44389		C-stoma with biopsy	0.38	0.39	0.01	3%
44390		C-stoma for foreign body	0.41	0.40	-0.01	-2%
44391		C-stoma for bleeding	0.46	0.50	0.04	9%
44392		C-stoma & polypectomy	0.49	0.54	0.05	10%
44394		C-stoma w/snare	0.49	0.54	0.05	10%
44401		C-stoma with ablation	0.46	0.47	0.01	2%
44402		C-stoma w/stent plcmt	0.49	0.52	0.03	6%
44403		C-stoma w/resection	0.59	0.60	0.01	2%
44404		C-stoma w/injection	0.37	0.40	0.03	8%
44405		C-stoma w/dilation	0.34	0.35	0.01	3%
44406		C-stoma w/ultrasound	0.44	0.43	-0.01	-2%
44407		C-stoma w/ndl aspir/bx	0.53	0.56	0.03	6%
44408		C-stoma w/decompression	0.45	0.44	-0.01	-2%
45330		Diagnostic sigmoidoscopy	0.11	0.11	0.00	0%
45331		Sigmoidoscopy and biopsy	0.14	0.12	-0.02	-14%
45332		Sigmoidoscopy w/fb removal	0.22	0.23	0.01	5%
45333		Sigmoidoscopy & polypectomy	0.21	0.22	0.01	5%
45334		Sigmoidoscopy for bleeding	0.22	0.23	0.01	5%
45335		Sigmoidoscopy w/submuc inj	0.14	0.12	-0.02	-14%
45337		Sigmoidoscopy & decompress	0.26	0.25	-0.01	-4%
45338		Sigmoidoscopy w/tumr remove	0.25	0.25	0.00	0%
45340		Sig w/balloon dilation	0.16	0.18	0.02	13%
45341		Sigmoidoscopy w/ultrasound	0.23	0.24	0.01	4%
45342		Sigmoidoscopy w/us guide bx	0.32	0.33	0.01	3%
45346		Sigmoidoscopy w/ablation	0.32	0.33	0.01	3%

2022 MPFS Final Rule RVUs

CPT	Mod	Short Descriptor	2021 Malpractice RVU	2022 Final Malpractice RVU	Final Malpractice RVU Difference	Final Malpractice RVU % Change
45347		Sigmoidoscopy w/plcmt stent	0.30	0.31	0.01	3%
45349		Sigmoidoscopy w/resection	0.39	0.40	0.01	3%
45350		Sgmdsc w/band ligation	0.21	0.21	0.00	0%
45378		Diagnostic colonoscopy	0.41	0.40	-0.01	-2%
45378	53	Diagnostic colonoscopy	0.20	0.20	0.00	0%
45379		Colonoscopy w/fb removal	0.49	0.52	0.03	6%
45380		Colonoscopy and biopsy	0.42	0.41	-0.01	-2%
45381		Colonoscopy submucous inj	0.42	0.41	-0.01	-2%
45382		Colonoscopy/control bleeding	0.51	0.54	0.03	6%
45384		Lesion remove colonoscopy	0.56	0.60	0.04	7%
45385		Lesion removal colonoscopy	0.51	0.54	0.03	6%
45386		Colonoscopy dilate stricture	0.45	0.44	-0.01	-2%
45388		Colonoscopy w/ablation	0.59	0.60	0.01	2%
45389		Colonoscopy w/stent plcmt	0.59	0.60	0.01	2%
45390		Colonoscopy w/resection	0.64	0.66	0.02	3%
45391		Colonoscopy w/endoscope us	0.48	0.51	0.03	6%
45392		Colonoscopy w/endoscopic fnb	0.63	0.61	-0.02	-3%
45393		Colonoscopy w/decompression	0.59	0.60	0.01	2%
45398		Colonoscopy w/band ligation	0.59	0.60	0.01	2%
74261		Ct colonography dx	0.13	0.13	0.00	0%
74261	TC	Ct colonography dx	0.02	0.02	0.00	0%
74261	26	Ct colonography dx	0.11	0.11	0.00	0%
74262		Ct colonography dx w/dye	0.13	0.15	0.02	15%
74262	TC	Ct colonography dx w/dye	0.02	0.04	0.02	100%
74262	26	Ct colonography dx w/dye	0.11	0.11	0.00	0%
74263		Ct colonography screening	0.12	0.12	0.00	0%
74263	TC	Ct colonography screening	0.02	0.02	0.00	0%
74263	26	Ct colonography screening	0.10	0.10	0.00	0%
88304		Tissue exam by pathologist	0.02	0.02	0.00	0%
88304	TC	Tissue exam by pathologist	0.01	0.01	0.00	0%
88304	26	Tissue exam by pathologist	0.01	0.01	0.00	0%
88305		Tissue exam by pathologist	0.02	0.02	0.00	0%
88305	TC	Tissue exam by pathologist	0.01	0.01	0.00	0%
88305	26	Tissue exam by pathologist	0.01	0.01	0.00	0%
91010		Esophagus motility study	0.07	0.09	0.02	29%
91010	TC	Esophagus motility study	0.02	0.02	0.00	0%

2022 MPFS Final Rule RVUs

CPT	Mod	Short Descriptor	2021 Malpractice RVU	2022 Final Malpractice RVU	Final Malpractice RVU Difference	Final Malpractice RVU % Change
91010	26	Esophagus motility study	0.05	0.07	0.02	40%
91013		Esophgl motil w/stim/perfus	0.01	0.01	0.00	0%
91013	TC	Esophgl motil w/stim/perfus	0.00	0.00	0.00	0%
91013	26	Esophgl motil w/stim/perfus	0.01	0.01	0.00	0%
91020		Gastric motility studies	0.07	0.07	0.00	0%
91020	TC	Gastric motility studies	0.02	0.02	0.00	0%
91020	26	Gastric motility studies	0.05	0.05	0.00	0%
91022		Duodenal motility study	0.06	0.06	0.00	0%
91022	TC	Duodenal motility study	0.02	0.02	0.00	0%
91022	26	Duodenal motility study	0.04	0.04	0.00	0%
91030		Acid perfusion of esophagus	0.06	0.06	0.00	0%
91030	TC	Acid perfusion of esophagus	0.02	0.02	0.00	0%
91030	26	Acid perfusion of esophagus	0.04	0.04	0.00	0%
91034		Gastroesophageal reflux test	0.06	0.08	0.02	33%
91034	TC	Gastroesophageal reflux test	0.01	0.01	0.00	0%
91034	26	Gastroesophageal reflux test	0.05	0.07	0.02	40%
91035		G-esoph reflex tst w/electrod	0.12	0.12	0.00	0%
91035	TC	G-esoph reflex tst w/electrod	0.01	0.01	0.00	0%
91035	26	G-esoph reflex tst w/electrod	0.11	0.11	0.00	0%
91037		Esoph imped function test	0.05	0.05	0.00	0%
91037	TC	Esoph imped function test	0.01	0.01	0.00	0%
91037	26	Esoph imped function test	0.04	0.04	0.00	0%
91038		Esoph imped funct test > 1hr	0.05	0.06	0.01	20%
91038	TC	Esoph imped funct test > 1hr	0.01	0.02	0.01	100%
91038	26	Esoph imped funct test > 1hr	0.04	0.04	0.00	0%
91040		Esoph balloon distension tst	0.06	0.08	0.02	33%
91040	TC	Esoph balloon distension tst	0.01	0.01	0.00	0%
91040	26	Esoph balloon distension tst	0.05	0.07	0.02	40%
91065		Breath hydrogen/methane test	0.02	0.02	0.00	0%
91065	TC	Breath hydrogen/methane test	0.01	0.01	0.00	0%
91065	26	Breath hydrogen/methane test	0.01	0.01	0.00	0%
91110		Gi tract capsule endoscopy	0.10	0.09	-0.01	-10%
91110	TC	Gi tract capsule endoscopy	0.01	0.01	0.00	0%
91110	26	Gi tract capsule endoscopy	0.09	0.08	-0.01	-11%
91111		Esophageal capsule endoscopy	0.05	0.05	0.00	0%
91111	TC	Esophageal capsule endoscopy	0.01	0.01	0.00	0%

2022 MPFS Final Rule RVUs

CPT	Mod	Short Descriptor	2021 Malpractice RVU	2022 Final Malpractice RVU	Final Malpractice RVU Difference	Final Malpractice RVU % Change
91111	26	Esophageal capsule endoscopy	0.04	0.04	0.00	0%
91112		Gi wireless capsule measure	0.07	0.10	0.03	43%
91112	TC	Gi wireless capsule measure	0.01	0.01	0.00	0%
91112	26	Gi wireless capsule measure	0.06	0.09	0.03	50%
91113		Gi trc img intral colon i&r	NA	0.09	NA	NA
91113	TC	Gi trc img intral colon i&r	NA	0.01	NA	NA
91113	26	Gi trc img intral colon i&r	NA	0.08	NA	NA
91117		Colon motility 6 hr study	0.15	0.17	0.02	13%
91120		Rectal sensation test	0.06	0.06	0.00	0%
91120	TC	Rectal sensation test	0.01	0.01	0.00	0%
91120	26	Rectal sensation test	0.05	0.05	0.00	0%
91122		Anal pressure record	0.11	0.11	0.00	0%
91122	TC	Anal pressure record	0.02	0.02	0.00	0%
91122	26	Anal pressure record	0.09	0.09	0.00	0%
91132		Electrogastrography	0.03	0.03	0.00	0%
91132	TC	Electrogastrography	0.01	0.01	0.00	0%
91132	26	Electrogastrography	0.02	0.02	0.00	0%
91133		Electrogastrography w/test	0.03	0.03	0.00	0%
91133	TC	Electrogastrography w/test	0.01	0.01	0.00	0%
91133	26	Electrogastrography w/test	0.02	0.02	0.00	0%
91200		Liver elastography	0.02	0.02	0.00	0%
91200	TC	Liver elastography	0.01	0.01	0.00	0%
91200	26	Liver elastography	0.01	0.01	0.00	0%
96360		Hydration iv infusion init	0.02	0.02	0.00	0%
96361		Hydrate iv infusion add-on	0.01	0.01	0.00	0%
96365		Ther/proph/diag iv inf init	0.04	0.04	0.00	0%
96366		Ther/proph/diag iv inf addon	0.01	0.01	0.00	0%
96367		Tx/proph/dg addl seq iv inf	0.02	0.02	0.00	0%
96368		Ther/diag concurrent inf	0.01	0.01	0.00	0%
96369		Sc ther infusion up to 1 hr	0.02	0.02	0.00	0%
96370		Sc ther infusion addl hr	0.01	0.01	0.00	0%
96371		Sc ther infusion reset pump	0.00	0.00	0.00	#DIV/0!
96372		Ther/proph/diag inj sc/im	0.01	0.01	0.00	0%
96413		Chemo iv infusion 1 hr	0.09	0.09	0.00	0%
96415		Chemo iv infusion addl hr	0.02	0.02	0.00	0%
96570		Photodynmc tx 30 min add-on	0.16	0.09	-0.07	-44%

2022 MPFS Final Rule RVUs

CPT	Mod	Short Descriptor	2021 Malpractice RVU	2022 Final Malpractice RVU	Final Malpractice RVU Difference	Final Malpractice RVU % Change
96571		Photodynamic tx addl 15 min	0.04	0.04	0.00	0%
G0104		Ca screen;flexi sigmoidscope	0.11	0.11	0.00	0%
G0105		Colorectal scrn; hi risk ind	0.41	0.40	-0.01	-2%
G0105	53	Colorectal scrn; hi risk ind	0.20	0.20	0.00	0%
G0121		Colon ca scrn not hi rsk ind	0.42	0.41	-0.01	-2%
G0121	53	Colon ca scrn not hi rsk ind	0.21	0.21	0.00	0%
99202		Office/outpatient visit new	0.09	0.09	0.00	0%
99203		Office/outpatient visit new	0.15	0.17	0.02	13%
99204		Office/outpatient visit new	0.23	0.24	0.01	4%
99205		Office/outpatient visit new	0.31	0.32	0.01	3%
99211		Office/outpatient visit est	0.01	0.01	0.00	0%
99212		Office/outpatient visit est	0.05	0.07	0.02	40%
99213		Office/outpatient visit est	0.10	0.10	0.00	0%
99214		Office/outpatient visit est	0.14	0.12	-0.02	-14%
99215		Office/outpatient visit est	0.21	0.21	0.00	0%
G2010		Remot image submit by pt	0.01	0.01	0.00	0%
G2012		Brief check in by md/qhp	0.02	0.02	0.00	0%
G2212		Prolong outpt/office vis	0.05	0.05	0.00	0%
G2252		Brief chkin by md/qhp, 11-20	0.04	0.04	0.00	0%
99441		Phone e/m phys/qhp 5-10 min	0.05	0.05	0.00	0%
99442		Phone e/m phys/qhp 11-20 min	0.11	0.09	-0.02	-18%
99443		Phone e/m phys/qhp 21-30 min	0.15	0.12	-0.03	-20%
99421		Ol dig e/m svc 5-10 min	0.02	0.02	0.00	0%
99422		Ol dig e/m svc 11-20 min	0.04	0.04	0.00	0%
99423		Ol dig e/m svc 21+ min	0.05	0.07	0.02	40%